Author Index To Volumes 70-100

including article titles

A

Abart, E.M.

Decision making strategy for handling biocides. Experience at Yuma Desalting Plant (Yuma, AZ, USA) 97(1994)437

Abaticchio, P., Bottino, A., Camera Roda, G., Capanelli, G. and Munari, S. Characterization of ultrafiltration polymeric membranes 78(1990)235

Abdalla, W.E., see Hamed, O.A. 93(1993)563

Abdel-Aal, H.K. and Al-Naafa, M.A.

Enhanced evaporation of saline water in multipurpose solar desalination units 93(1993)557

Abdel-Jawad, M., see Al Borno, A.Y. 74(1989)3

Abdel-Jawad, M., see Carew, J. 74(1989)85

Abdel-Jawad, M., see Carew, J.A. 95(1994)53

Abdel-Jawad, M., see Darwish, B.A.Q. 74(1989)125

Abdel-Jawad, M., see Darwish, B.A.Q. 75(1989)55

Abdel-Jawad, M., see Darwish, M.A. 72(1989)367

Abdel-Jawad, M., see Darwish, M.A. 72(1989)381

Abdel-Jawad, M., see Darwish, M.A. 75(1989)25

Abdel-Jawad, M., see Darwish, M.A. 76(1989)281

Abdel-Jawad, M., see Darwish, M.A. 76(1989)305

Abdel–Jawad, M., see Darwish, M.A. 78(1990)313 Abdel–Jawad, M., see Ebrahim, S. 99(1994)39

Abdel–Jawad, M., see Ghabris, A.H. 75(1989)213

Abdel–Jawad, M. and Darwish, M.A.

Simplified analysis of transport in reverse osmosis hollow fiber membranes 75(1989)97

Abdel-Jawad, M. and Ebrahim, S.

Beachwell seawater intake as feed for an RO desalting system 99(1994)57

Abdo, M.S.E., see Al-Enezi, G.A. 95(1994)1 Abdul-Aleem, B.J., see Ahmad, Z. 95(1994)307

Abdul-Majid, S.

Applications of neutron back-diffusion technique for wall thickness and scale measurements at desalination or chemical plants 94(1993)101

Abdul-Majid, S.

Determination of scale thickness and general and localized metal removal in desalination plants by the gamma ray interaction method 91(1993)35

Abdul-Majid, S. and Dawood U.

Measurement of localized metal removal in pipes by gamma-ray back-scattering method 75(1989)185

Abdul-Majid, S. and Dawood U.

Neutron-capture gamma-ray technique for scale identification inside pipes 75(1989)199

Abdula'aly, A.I. and Chammem, A.A.

Groundwater treatment in the central region of
Saudi Arabia 96(1994)203

Abdulbary, A.F., Lai, L.L., Al-Gobaisi, D.M.K. and Husain, A.

Experience of using the neural network approach for identification of MSF desalination plants 92(1993)323

Abdullah, R., see Al-Hoti, B.A. 75(1989)329

Abdulraheem, M.Y.

Environmental policies at the national levels: the role of EDP and ROPME 72(1989)225

Abdulraheem, M.Y.

Health considerations in using treated industrial and municipal effluents for irrigation 72(1989)81 Abdus Samad, M.

Operational problems in the solar desalination plant and its remedies 93(1993)615

Aboudher, A., see Pareek, N.K. 73(1989)417

Aboughalya, E.-D., Crins, M.J., Kupitz, J., Tusel, G.F. and Wangnick, K. Need and feasibility of nuclear desalination for

low cost potable water production 81(1991)505 Abu-Rizaiza, O.S. and Sarikaya, H.Z.

Drainage water reuse or disposal, Jeddah, Saudi Arabia 98(1994)173

Abu-Safiah, A.

Failure of sections and components in seawater reverse osmosis plants 84(1991)309

Abu-Safiah, A.

Material selection for the high pressure section of seawater reverse osmosis plants 84(1991)279

Abualhamayel, H.I., see Gandhidasan, P. 99(1994)137

Abueida, K.S., see Rebagliati, S. 75(1989)149 Abulnour, A.G., see Sorour, M.H. 86(1992)63 Adams, W.R.

The effect of chlorine dioxide on reverse osmosis membranes 78(1990)439

Adhikari, R.S. and Kumar, A. Transient simulation studies on a multi-stage stacked tray solar still 91(1993)1

Adhikari, S.K., see Narayanan, P.K. 84(1991)201
 Adhikari, S.K., Narayanan, P.K., Thampy, S.K.,
 Dave, N.J., Chauhan, D.K. and Indusekhar, V.K.
 Desalination of brackish water of higher salinity
 by electrodialysis 84(1991)189

Adhikary, S.K., Tipnis, U.K., Harkare, W.P. and Govindan, K.P. Defluoridation during desalination of brackish water by electrodialysis 71(1989)301

Afonso, M.D. and De Pinho, M.N. Ultrafiltration of bleach effluents in cellulose production 79(1990)115

Afonso, M.D. and Norbeta de Pinho, M.

Membrane separation processes in the pulp and paper industry 85(1991)53

Agashichev, S.P., see Dytnersky, Yu.I. 81(1991)265Agashichev, S.P. and Sivakov, A.V. Modeling and calculation of temperature-concentration polarisation in the membrane distillation process (MD) 93(1993)245

Aguirre, P., see Scenna, N.J. 81(1991)419 Ahlgren, R.M.

Potential for water reuse in conjunction with desalination systems 75(1989)315

Ahlgren, R.M. and Smith, I.

Review of large desalination plant experience in the Americas 73(1989)247

Ahmad, Z. and Abdul Aleem, B.J.
The corrosion performance of 90–10 cupronickel in Arabian Guif water 95(1994)307

Ahmed, A.M. and Moch, Jr.

Seawater reverse osmosis – a study in use
82(1991)3

Ahmed, K.A., see Hamed, O.A. 96(1994)103

Ahmed, S.R., Alansari, M.S. and Kanner, T. Biological fouling and control at Ras Abu Jarjur R.O. Plant – a new approach 74(1989)69

Ai-lian, L. and Qing, C. Polyacrylonitrilic/polysulfone (PAN/PS) blend ultrafiltration (UF) membranes 101(1995)51

Aidrous, A., see Herrmann, D. 92(1993)171 Aidrous, A., see Herrmann, D. 92(1993)185 Akkad. A.A.

Water conservation in arid and semi-arid regions 72(1989)185

Al-Abbasi, M.A., Karaghouli, A.A and Minasian, A.N. Photochemically assisted solar desalination of saline water 86(1992)317

Al-Abdulhadi, M., see Maheshwari, G.P. 101(1995)133

Al-Ahmad, M. and Aleem,F.A. Scale formation and fouling problems and their predicted reflection on the performance of desalination plants in Saudi Arabia, 96(1994)409

Al-Ahmad, M. and Aleem, F.A.

Scale formation and fouling problems effect on
the performance of MSF and RO desalination
plants in Saudi Arabia 93(1993)287

Al-Ahmad, M.S., see Darwish, M.A. 89(1993)289 Al-Ahmed, M.I., see Al-Mutaz, I.S. 73(1989)181 Al-Ahmed, M.Sh. and Darwish, M.A.

Second law analysis of multi-effect and MSF desalination plants 81(1991)449

Al-Ajlan, A.M., see Al-Zahrani, S. 97(1994)17 Al-Alawi, A., see Khalaf, S. 96(1994)273

Al-Ambuky, A.H. and Danial, K.H. A flexible data acquisition and monitoring system 92(1993)271

Al-Amri, M.M.I., see Hassan, A.M. 74(1989)37 Al-Ansari, N., see Khater, A. 97(1994)281

Al-Arifi, A., El-Dahshan, M.E. and Hazzaa, M.I. The effect of molybdenum on the corrosion behaviour of steel alloy in sea water 97(1994)77

Al-Arrayedh, M., Burashid, K. and Almansoor, K. RAJJ RO plant operational costs optimization 97(1994)235

Al-Atiqi, I.M., Ghabris, A.H. and Ebrahim, S. System identification and control of reverse osmosis desalination 75(1989)119

Al-Awadi, F.M., see Latif, N.A. 74(1989)205

Al-Azzar, A., Abrams, J., Zaczek, S. and Awerbuch, L. Jeddah stack emissions – Problems and solutions 73(1989)459

Al-Baghdadi, A.M.

Feasibility of installing back pressure turbine at Umm Al Nar East station 93(1993)147

Al-Bakeri, F. and El Hares, H.

Optimization of sponge ball cleaning system operation and design in MSF plants 92(1993)353

Al-Bakeri, F., El Hares, H. Experimental optimization of sponge ball cleaning system operation in Umm Al Nar MSF desalination plants 94(1993)133

Al-Bastaki, N.M. and Al-Qahtani, H.I.

Assessment of thermal effects on the reverse osmosis of salt/water solutions by using a spiral wound polyamide membrane 99(1994)159

Al-Bastaki, N.M.S. Behavior of stepped GRP shells used in the reverse osmosis permeators for the water desalination process 94(1993)307

Al-Bastaki, N.M.S., see Al-Qahtany, H.I. 101(1995)177

Al-Borno, A.Y. and Abdel-Jawad, M.
Conventional pretreatment of surface seawater
reverse osmosis application, state of the art
74(1989)3

Al-Enezi, G.A., Shaban, H. and Abdo, M.S.E. Total organic carbon reduction of phenolcontaining wastewaters by oxidation techniques 95(1994)1

Al-Fozan, S.A., see Malik, A.U. 97(1994)171

Al-Fozan, S.A., see Malik, A.U. 97(1994)199

Al-Gobaisi, D.M.K.

Conceptuel specification for improved automation and total process care in large-scale desalination plants of the future 95(1994)287

Al-Gobaisi, D.M.K., see Abdulbary, A.F. 92(1993)323

Al-Gobaisi, D.M.K., see Al-Radif, A. 84(1991)45

Al-Gobaisi, D.M.K., see Husain, A. 92(1993)21

Al-Gobaisi, D.M.K., see Husain, A. 92(1993)43

Al-Gobaisi, D.M.K., see Kurdali, A. 92(1993)295

Al-Gobaisi, D.M.K., see Rao, G.P. 97(1994)507

Al-Gobaisi, D.M.K.

A quarter-century of seawater desalination by large multistage flash plants in Abu Dhabi (Plant performance analysis, assessment, present efforts toward enhancement and future hopes) 99(1994)483

 Al-Gobaisi, D.M.K., Barakzai, A.S. and El-Nashar, A.M.
 An overview of modern control strategies for optimizing thermal desalination plants 84(1991)3

Al-Gobaisi, D.M.K., Barakzai, A.S., Aziz, M.A. and Hassan, A.
Manageable automation systems for power and desalination plants 92(1993)211

Al-Gobaisi, D.M.K., Hassan, A., Rao, G.P., Sattar, A., Woldai, A. and Borsani, R. Towards improved automation for desalination processes. Part I: Advanced control 97(1994)469

Al-Hamdan, A., see Hassan, A.M. 74(1989)37

Al-Hawaj, O. and Darwish, M.A.
A solar pond assisted multi-effect desalting system 99(1994)119

Al-Hawaj, O. and Darwish, M.A. Performance characteristics of a multi effect solar pond desalting system in an arid environment 96(1994)3

Al-Homoud, A.A., see Suri, R.K. 71(1989)165

Al-Hoti, B.A.

A predictive model to find the optimum chlorine treatment scenario for biofouling control 74(1989)227

Al-Hoti, B.A. and Abdullah, R. Reuse of collected stormwater runoff for irrigation in Kuwait 75(1989)329

Al-Hussain, M.A., see Al-Sofi, M.A.K. 96(1994)313

Al-Jardan, A.M., see Al-Zahrani, S. 97(1994)17

Al-Jarrah, S., see Hassan, A.M. 74(1989)37

Al-Kebti, F.S., Isnasious, E.Z. and Al Mahyas, A.M.

Practical observations on reverse osmosis plants including raw water contamination problems, different intake stations and permeator performance 93(1993)259

Al-Khadafi, A.A. and Howarth, D.A. Wastewater reclamation and reuse in Europe, Middle East and North Africa 75(1989)289

Al-Lian, L., Yong-Zhuang, Z., Shi-Yao, B. and Song-Chun, F.
An acrylonitrile copolymer material for membrane manufacture. III. Manufacture of a comixed UF membrane of AN-MMA binary copolymer and polyvinyl chloride 86(1992)291

Al-Lohibi, T., see Hassan, A.M. 74(1989)37

Al-Mahyas, A.M., see Al Kebti, F.S. 93(1993)259

Al-Marafie, A.M.R., see Suri, R.K. 71(1989)165

Al-Marafie, A.M.R. and Darwish, M.A. Water production in Kuwait – its management and economics 71(1989)45

Al-Marafie, A.M.R.
Prospects of hybrid RO-MSF desalting plants in
Kuwait 72(1989)395

Al-Munayyis, A., see Al-Rqobah, H. 73(1989)295 Al-Mutaz, I.S., see Al-Zahrani, A.E.S. 75(1989)15

Al-Mutaz, I.S.

Evaluation of energy recovery in reverse osmosis desalination plants 82(1991)142

Al-Mutaz, I.S.

Operation of dual MSF desalination at water /
power peak demand 84(1991)105

Al-Mutaz, I.S.

Treated wastewaters as a growing water resource for agriculture use 73(1989)27

Al-Mutaz, I.S. and Al-Ahmed, M.I. Evaluation of solar powered desalination processes 73(1989)181

Al-Mutaz, I.S. and Soliman, M.A. Dynamic behaviour of MSF desalination plants 84(1991)103

Al-Mutaz, I.S. and Soliman, M.A.
Optimum operation of steam-power cycle in dual MSF desalination plants 84(1991)104

Al-Mutaz, I.S. and Soliman, M.A. Simulation of MSF desalination plants 74(1989)317

Al-Mutaz, I.S., Soliman, M.A. and Al-Zahrani, A.E.S. Parametric study on the performance of hollow fiber modules 83(1991)373

Al-Mutaz, I.S., Soliman, M.A. and Daghthem, A.M. Optimum design for a hybrid desalting systems 76(1989)177

Al-Naafa, M.A., see Abdel-Aal, H.K. 93(1993)557 Al-Najem, N.M., see Darwish, M.A. 74(1989)277

Al-Najem, N.M., see Darwish, M.A. 89(1993)289

Al-Nakshabandi, G.A., see Elshibini, F.Z. 72(1989)235

Al-Omram, A., see Al-Sofi, M.A.K. 73(1989)313

Al-Omran, A.A., see Al-Sofi, M.A.K. 96(1994)313 Al-Owais, A.A., Nijhawan, R.K. and

Al-Owais, A.A., Nijhawan, R.K. and Budhiraja, P.K.

Operational experience of once through MSF desalination units 73(1989)327

Al-Qahtani, H.I., see Al-Bastaki, N.M. 99(1994)159

Al-Qahtany, H.I. and Al-Bastaki, N.M.S. Effect of aging on the performance of RO hollow fiber membranes in a section of an RO plant 101(1995)177

Al Radif, A., see Al-Sum, E.A. 97(1994)109

Al-Radif, A.

Review of various combinations of a multiple effect desalination plant (MED) and thermal vapour compression unit 93(1993)119

Al-Radif, A., see Borsani, R. 96(1994)325

Al-Radif, A., see Husain, A. 92(1993)21

Al-Radif, A., see Husain, A. 97(1994)555

Al-Radif, A., Al-Gobaisi, D.M.K., El-Nashar, A.M. and Said, M.S. Review of design and specifications of the world largest MSF units 4x(10-12.8 MIGD)

84(1991)45
Al-Radif, A., Borsani, R. and Sultan, H.
Selection of materials for Taweelah "B" MSF
desalination plant project (6x10-12.7 migd)
97(1994)3

Al-Ramadhan, M., see Maheshwari, G.P. 101(1995)133

Al-Robab, H.A., see Darwish, B.A.Q. 75(1989)55

Al-Rqobah, H. and Al-Munayyis, A.
A recarbonation process for treatment of distilled water produces by MSF plants in Kuwait 73(1989)295

Al-Saati, A.J. and Khan, M.M.A.
Design, operation and maintenance problems of small RO treatment plants in Riyadh region,
Saudia Arabia 82(1991)141

Al-Saleh, S.A. and Khan, A.R.
Comparative study of two anti-scale agents
Belgard EVN and Belgard EV 2000 in multistage flash distillation plants in Kuwait
97(1994)97

Al-Saleh, S.A. and Khan, A.R. Evaluation of Belgard EV 2000 as antiscalant control additive in MSF plants 97(1994)87

Al-Saqabi, A., see Dabbagh, T.A. 73(1989)3

Al-Shatti, I.

Towards the use of industrial wastewater for

irrigation in Kuwait 72(1989)115 Al-Sofi, M.A.K. Water scarcity – The challenge of the future 98(1994)425

Al-Sofi, M.A.K., Al-Hussain, M.A., Al-Omran, A.A. and Farran, K.M. A full decade of operating experience on Al-Khobar-II multi-stage flash (MSF) evaporators (1982-1992) 96(1994)313

Al-Sofi, M.A.K., Khalaf, S. and Al Omram, A. Practical experience in scale control 73(1989)313

Al–Sofi, M.A.K. Integrated production of power and water 76(1989)89

Al-Sulaiman, K.M., see Kutbi, I.I. 97(1994)327
 Al-Sum, E.A., Al-Radif, A. and Aziz, S.
 Performance of materials used for the venting system in WED's desalination plants (MSF) 93(1993)517

Al-Sum, E.A., see Hassan, A. 84(1991)251

Al-Sum, E.A., see Hassan, A. 97(1994)131

Al-Sum, E.A., Aziz, S., Al Radif, A., Said, M.S. and Heikal, O.
Vapour-side corrosion of copper base condenser tubes of the MSF desalination plants of Abu

Al-Wazzan, Y., see Carew, J. 74(1989)85

Dhabi 97(1994)109

Al-Wazzan, Y., see Carew, J.A. 95(1994)53

Al-Zahrani, A.E.S., see Al-Mutaz, I.S. 83(1991)373

Al-Zahrani, A.E.S., Soliman, M.A., Al-Mutaz, I.S. An approximate analytical solution for the performance of reverse osmosis plants 75(1989)15 Al-Zahrani, H., Souma, S. and Eid, N.M.A. Localized corrosion behavior in stainless structural steels weldments under desalination plant condition 84(1991)349

Al-Zahrani, S., Al-Ajlan, A.M. and Al-Jardan, A.M. Using different types of anti-scalants at the Al-Jubail power and desalination plant in Saudi Arabia 97(1994)17

Al-Zubaidi, A.A.J.
Parametric cost analysis study of seawater reverse osmosis systems design in Kuwait 76(1989)241

Al-Zubaidi, A.A.J.
Technoeconomics of power/desalting cogeneration plants in Kuwait: A preliminary study 76(1989)121

Alabdula'aly, A.I and Chammem, A.A. KACST mobile drinking water treatment plant for research 98(1994)71

Alansari, M.S., see Ahmed, S.R. 74(1989)69 Albers, W., see Larson, R. 73(1989)119 Aleem, F.A., see Al-Ahmad, M. 93(1993)287 Aleem,F.A., see Al-Ahmad, M. 96(1994)409 Alefeld, G., see Gregorzewski, A. 82(1991)145 Alhajii, J.N., see Reda, M.R. 94(1993)273

Ali Asbi, B. and Cheryan, M. Optimizing process time for ultrafiltration and diafiltration 86(1992)49

Ali El Saie, M.H., El Kafrawi, M.S.I. and Kamel, M.I.
Study of the operating conditions for three large MSF desalination units each of capacity 7.2/8.6
MGD (27360/32832 tons/day) 73(1989)207

Ali El-Saie, M.H.

Desalination at the crossroads 78(1990)305

Ali El-Saie, M.H. and Ali El-Saie, Y.M.H.
Optimization of dual purpose steam power and
MSF desalination plant 76(1989)155

Ali El-Saie, Y.M.H., see Ali El-Saie, M.H. 76(1989)155

Ali, G., Dalton, J.H. Judges, P.D. and Tao, C-H. Reverse osmosis and ion exchange demineralizer system for Basrah Petrochemical Complex No. 1 76(1989)27 Ali, S.S.

Solar desalination in Sudan 93(1993)581

Allam, I.M., see Saricimen, H. 78(1990)327

Almansoor, K., see Al Arrayedh, M. 97(1994)235

Alvonitis, S., see Ben Boudinar, M. 86(1992) 273

Alvonitis, S., Hanbury, W.T. and Hodgkiess, T. Chlorine degradation of aromatic polyamides 85(1992)321

Alv, G.S., see Darwish, B.A.Q. 74(1989)125

Aly, G.S., see Darwish, B.A.Q. 75(1989)55

Aly, G.S., see Darwish, M.A. 72(1989)367

Aly, G.S., see Darwish, M.A. 76(1989)281

Alv, G.S., see Darwish, M.A. 78(1990)313

Aly, G.S., see Ghabris, A.H. 75(1989)213

Aly, G.S., see Rimawi, M.A. 74(1989)327

Aly, S., see Hamed, O.A. 80(1991)1

Aly, S.E.

Analysis of a fuel solar assisted central dual purpose plant 82(1991)246

Alv. S.E.

Analysis of a fuel-solar assisted central dual purpose plant 78(1990)363

Aly, S.E.

Humidity water vapour collection by absorption cooling machines 73(1989)139

Aly, S.E., see Fathalah, K. 82(1991)245

Aly, S.E., see Madani, A.A. 75(1989)241

Aly, S.E.

Theoretical analysis of a novel modified recirculation multi-stage flash low temperature system 95(1994)189

Amin, A., see Habib, K. 85(1992)275

Amin Saad, M.

Biofouling prevention in RO polymeric membrane systems 88(1992)85

Ammerlaan, A.C.F., Franklin, J.C. and Moody, C.D.

Controlling loss of salt rejection and water flux at the Yuma Desalting Plant 96(1994)421

Ammerlaan, A.C.F., Franklin, J.C. and Moody, C.D. Yuma Desalting plant membrane degradation during test operations 88(1992)33

Andijani, I.N., see Malik, A.U. 97(1994)171

Andijani, I.N., see Malik, A.U. 97(1994)189

Anokhina, E.A., see Linnikov, O.D .89(1993)311

Aoki, T., see Oikawa, E. 101(1995)69

Aoki, T., see Oikawa, E. 94(1993)25

Aouad, N., see Chapotot, A. 101(1995)141

Applegate, L.E., Erkenbrecher, C.W., Jr. and Winters H.

New chloramine process to control aftergrowth and biofouling in PermasepR B-10 RO surface seawater plants 74(1989)51

Arain, R.A., see Shams El Din, A.M. 85(1991)13

Arnal, J.M., see Lora, J. 79(1990)261

Assimacopoulos, D., see Papafotiou, K. 82(1991)131

Audebert, R., see Baudin, I. 86(1992)237

Avlonitis, S., Hanbury, W.T. and Ben Boudinar, M. Spiral wound modules performance. An analytical solution: Part II 89(1993)227

Avlonitis, S., Hanbury, W.T. and Ben Boudinar, M. Spiral wound modules performance. An analytical solution, Part 1. 81(1991)191

Awadhi, N.A., see Hamer, G. 72(1989)31

Awerbuch, L.

Perspective and challenges for desalination 99(1994)189

Awerbuch, L., see Chen, J. 97(1994)319

Awerbuch, L. and Daye, M.A.

Durability of concrete structures in the hostile service environment of desalination plants 97(1994)221

Awerbuch, L. and Weekes, M.C.

Disposal of concentrate from brackish water desalting plants by means of evaporation technology 78(1990)71

Awerbuch, L., May, S., Soo-Hoo, R. and V. Van der Mast.

Hybrid desalting systems 76(1989)189 Awn, A.A., see El-Haggar, S.M. 94(1993)55

Ayyash, Y., Imai, H., Yamada, T., Fukuda, T., Yanaga, Y. and Taniyama, T.

Performance of reverse osmosis membrane in Jeddah Phase 1 plant 96(1994)215

Aziz, M., see Rao, G.P. 97(1994)507

Aziz, M.A., see Al-Gobaisi, D.M.K. 92(1993)211

Aziz, M.A., see El-Sum, E.A. 92(1993)309

Aziz, S., see Al-Sum, E.A. 97(1994)109

Aziz, S., see Hassan, A. 84(1991)251

Aziz, S., see Hassan, A. 97(1994)131

Aziz, S., see Shams El Din, A.M. 97(1994)373 Aziz, S.A., see Osman, H. 93(1993)181

B

Baba, Y., see Fukuda, T. 97(1994)121

Badran, M.M H., see Khedr, M.G.A. 72(1989)351

Baggott, S.R. and Jaffer, A.

The application of a novel chemical treatment program to mitigate scaling and fouling in reverse osmosis units 83(1991)119

Bagwell Jr., T.H., see Downing, E.A. 99(1994)383

Bagwell Jr., T.H. and Price, M.K.

The interagency Consortium for Desalination and Membrane Separation Research 99(1994)195

Bagwell Jr., T.H., Shalewitz, B. and Coleman, A. The Army water supply program: An overview 99(1994)409

Bai, J., see Fouda, A.E. 90(1993)209

Bairinji, R., see Ikeda, T. 98(1994)391

Bairinji, R., see Kurihana, M. 96(1994)133

Bakheet, L. M., see Hassan, A.M. 74(1989)37 Bal, A.S.

Cord membrane – a new reverse osmosis membrane configuration 83(1991)301

Bal, A.S., Malewar, C.G. and Vaidya, A.N. Development of non-cellulosis membranes for wastewater treatment 83(1991)325

Balakin, V.M., see Linnikov, O.D. 74(1989)355

Banat, F.A. and Simandl, J.

Theoretical and experimental study in membrane distillation 95(1994)39

Bandini, S., Gostoli, C. and Sarti, G.C.
Role of heat and mass transfer in membrane distillation process 81(1991)91

Banks, H.

Water resources institutions and policies in arid regions 72(1989)217

Banks, R., see Fredkin, E. 75(1989)141 Bannoud, A.

The electrochemical way of removing the hardness of water 93(1993)545

Barabash, P.A., see Rifert, V.G. 74(1989)363 Barabash, P.A., see Rifert, V.G. 96(1994)183 Barakzai, A.S., see Al-Gobaisi, D.M.K. 84(1991)3 Barakzai, A.S., see Al-Gobaisi, D.M.K. 92(1993)211

Barba, D., Evangelista, F. and Marrelli, L. A general thermodynamic tool for predicting salting coefficients of non-electrolytes in brackish or seawater 71(1989)289

Barba, D., Evangelista, F., Jonsson, G. and Marrelli, L.

An Analytical method for design of electrodialysis stacks operated at high concentrations 71(1989)137

Bargeman, D., see Neplenbroek, A.M. 79(1990)303 Barger, M. and Carnahan, R.P.

Fouling prediction in reverse osmosis processes 83(1991)3

Barinov, V.F., see Barinov, V.V. 88(1992)179

Barinov, V.V., Podbereznji, V.L., Mogilner, I.D. and Barinov, V.F.

The use of a qualitative method of control for some process parameters of distillation desalting plants 88(1992)179

Barthakur, N.N.

Electrohydrodynamic enhancement of evaporation from Nacl solutions 78(1990)455

Barthakur, N.N.

Electrostatically enhanced evaporation rates of saline water 74(1989)339

Barton, A., see Mc Gregor, I.D. 93(1993)387

Basile, A., see Gaeta, S.N. 80(1991)181

Baudin, I., Millequant, M., Ricard, A. and Audebert, R.

Adsorption of neutral polysaccharides at the silica-water interface. Role in the formation of a fouling cake at the filtration membrane surfaces used in water treatment 86(1992)237

Bauer, B., see Strathmann, H. 90(1993)303

Bauer, B., Strathmann, H. and Effenberger, F. Anion-exchange membranes with improved alkaline stability 79(1990)125

Baumgartner, T., Jung, D. and Sizmann, R. Open multiple effect desalination with low temperature process heat 81(1991)299

Bauser, H., see McDonogh, R.M. 79(1990)217 Beckman, J., see Larson, R. 73(1989)119 Begum, S., see Iman, S. 96(1994)119

Behling, R.D., see Fritsch, D. 90(1993)235

Bell, C.M., see Strathmann, H. 77(1990)259

Bell, C.M., see Strathmann, H. 90(1993)303

Belyshev, N.A., see Linnikov, O.D. 74(1989)355

Ben Aim, R., see Visvanathan, C. 71(1989)265

Ben Boudinar, M., see Avlonitis, S. 81(1991)191

Ben Boudinar, M., see Avlonitis, S. 89(1993)227

Ben Boudinar, M., Hanbury, W.T. and Alvonitis, S. Numerical simulation and optimisation of spiral wound modules 86(1992) 273

Bender, H., Hobler, M.M., Klinge, H. and Schelkes K.

Investigations of groundwater resources in Central Jordan 72(1989)161

Bengston, G., see Boddeker, K.W. 90(1993)249

Bertoni, G., see Saavedra, A. 82(1991)267

Bezuidenhout, D., see Immelman, E. 94(1993)115

Bezuidenhout, D., see Sanderson, R.D. 90(1993)15 Bhattacharyya, D., see Han, M.-J. 101(1995)195

Bikos, S.C. and Flower, J.R.

Preliminary design and energy analysis of evaporative desalination cascades 81(1991)483

Binot, R.A., see Madsen, R.F. 83(1991)123 Bisson, R.A.

Space—age integrated exploration and treatment of renewable regional sources of pristine groundwater in fractured rock "megawatersheds" 99(1994)257

Biware, M.V. and Ghatge, N.D.

Studies in piperazine containing poly(sulphone-amide)s for use in water desalination 101(1995)93

Blank, H.G. and Jackson, G.

AID's strategy for water resource management in the Middle East 99(1994)233

Bleha,M., Tishchenko,G., Sumberova,V. and Kudela,V.

Characteristic of the critical state of membranes in ED-desalination of milk whey 86(1992)173

Bloetscher, F., see Missimer, T.M. 87(1992)269

Boari, G., see Zannoni, R. 82(1991)337

Boddeker, K.W., Bengston, G. and Pingel, H. Pervaporation using heated membranes 90(1993)249 Bodzek, M., see Konieczny, K. 79(1990)145

Bodzek, M. and Konieczny, K.

Characterization of gel layer formed during ultrafiltration of latex emulsion waste water 94(1993)81

Bodzek, M. and Konieczny, K.

Polyacrylonitrile and polyvinyl chloride ultrafiltration membranes in the treatment of anaphoretic emultion paint 80(1991)43

Bodzek, M. and Konievzky, K.

Modelling of the ultrafiltration of electrophoretic emulsion paint 94(1993)261

Bodzek, M. and Konievzky, K.

Optimization of the ultrafiltration of latex wastewaters 94(1993)289

Boglovsky, A.V. see Martynova, O.I. 83(1991)55 Boglowsky, A.V., see Martynova, O.I. 71(1989)337 Bohmer, H.

On-load tube cleaning systems and debris filters for avoidance of micro—and macrofouling in MSF desalination plants 93(1993)171

Bohner, A

Solar desalination with a high efficiency multi effect process offers new facilities 73(1989)197

Bonacini, A., see Zannoni, R. 82(1991)337

Bonacini, A., see Zannoni, R. 82(1991)351

Bonet, J., see Henriquez, J.F. 82(1991)71

Bonev, B., see Mavrov, V. 83(1991)195

Bonev, B., see Mavrov, V. 85(1992)335

Borashid, K. and Kato, K.

Rehabilitation of desalination plants at Sitra Power Station, Bahrain 73(1989)277

Power Station, Bahrain 73(1989)277 Borden, J., see Brusilovsky, M. 86(1992)187

Borodkin, A.G., see Orlov, N.S. 84(1991)213

Borsani, R., see Al-Gobaisi, D.M.K. 97(1994)469

Borsani, R., see Al-Radif, A. 97(1994)3

Borsani, R., see Husain, A. 97(1994)555

Borsani, R., see Rao, G.P. 97(1994)507

Borsani, R., see Sommariva, C. 81(1991)309 Borsani, R., see Sommariva, C. 97(1994)53

Borsani, R., Bozzini, P., Germana, A., Pellufo, P.

and Al-Radif, A.

12 migd multistage flash desalination plant – a

challenge for the next years 96(1994)325

Borsteins, G., see Nerell, D.C. 88 (1992) 123 Bottino, A., see Abaticchio, P. 78(1990)235

Bottino, A., see Munari, S. 77(1990)85

Boudet-Dummy, M., see Lindheimer, A. 94(1993)151

Boudet-Dumy, M., see Pourcelly, G. 80(1991)193

Bowdoin, P., see Edwards, E. 78(1990)49

Bowen, P.T., see Fuqua, T.M. 88(1992)243

Bozzini, P., see Borsani, R. 96(1994)325

Brandani, P., see Di Giacomo, G. 91(1993)21

Brandani, P., see Giacomo, G.Di. 89(1992)185

Brandani, V., see Di Giacomo, G. 81(1991)249

Brandani, V., see Di Giacomo, G. 91(1993)21

Brandani, V., see Giacomo, G.Di. 89(1992)185

Brink, L.E.S. and Romijn, D.J.

Reducing the protein fouling of polysulfone surfaces and polysulfone ultrafiltration membranes: optimization of the type of presorbed layer 78(1990)209

Brouckaert, C.J., see Pillay, V.L. 71(1989)247

Bruno-Vega, A. and Thomas, K.S.

The Virgin Islands desalination experience 98(1994)443

Bruschke, H.E.A.

Removal of ethanol from aqueous streams by pervaporation 77(1990)323

Brusilovsky, M. and Hasson, D.

Prediction of reverse osmosis membrane salt rejection in multi-ionic solutions from single-salt data 71(1989)355

Brusilovsky, M., Borden, J. and Hasson, D. Flux decline due to gypsum precipitation on reverse osmosis membranes 86(1992)187

Bryant, T., see Stuart, J. 75(1989)379

Buckley, C.A., see Pillay, V.L. 71(1989)247

Budhiraja, P.K., see Al-Owais, A.A. 73(1989)327

Buisson, H., see Dal-Cin, M.M. 101(1995)155

Burashid, K., see Al Arrayedh, M. 97(1994)235 Burkard, H.

Variable speed turbo couplings used for speed control of pumps for seawater desalination plants 82(1991)107

Buros, O.K.

Introduction to the problem of the disposal of desalting concentrates in Florida 78(1990)3

Buros, O.K. and Pyne, R.D.G.

Extending water supplies in water short areas 98(1994)437

Buros, O.K. and Yacoub, S.

Water supply and desalination in Northwestern Egypt 73(1989)47

Bushnak, Adil A.

Water supply challenge in the Gulf Region 78(1990)133

C

Cakl, J., see Mikulasek, P. 95(1994)211

Calabro, V., Drioli, E. and Filippo Mareta Membrane distillation and wastewater treatment 83(1991)209

Calabro, V., Pantano, G., Kang, M., Molinari, R. and Drioli, E.

Experimental study on integrated membrane processes in the treatment of solutions simulating textile effluents. Energy and exergy analysis 78(1990)257

Camera Roda, G., see Abaticchio, P. 78(1990)235

Camera Roda, G., see Munari, S. 77(1990)85 Campbell, R.L. and Emerson, T.H.

A new water and power combination: vacuum vapor compression seawater distillation and natural gas fuel cells 99(1994)423

Caouris, Y.G., Kantsos, E.T. and Zagouras, N.G. Economic aspects of low-temperature multieffect desalination plants 71(1989)177

Capanelli, G., see Abaticchio, P. 78(1990)235

Capannelli, G., see Munari, S. 77(1990)85

Capes, C.E., see Dal-Cin, M.M. 101(1995)155

Carew, J.A., Abdel–Jawad, M. and Al–Wazzan, Y. Evaluation of corrosion–resistant alloys for desalination applications 95(1994)53

Carew,J., Abdel–Jawad,M., Julka,A. and Al– Wazzan,Y.

Performance of materials used in seawater reverse osmosis plants 74(1989)85

Carnahan, R.P., see Barger, M. 83(1991)3

Carrigan, W.V., see Hess, G. 87(1992)55

Cartwright, P.S.

Zero discharge/water reuse. The opportunities for membrane technologies in pollution control 83(1991)225 Celenza, W.J., see Yeh, G.C. 81(1991)161

Chaibi, M.T., Safi, M.J. and Hsari, M.

Performance analysis of a solar desalting unit in South Tunisia 82(1991)197

Chakravorty, B. and Singh, D.P.

Concentration and purification of gelatin liquor by ultrafiltration 78(1990)279

Chammem, A.A., see Abdula'aly, A.I. 96(1994)203 Chammem, A.A., see Abdula'aly, A.I. 98(1994)71

Chan, K., see Zhang, S.O. 80(1991)211

Changluo, Z., Moie, L., Wei ,X. and Wenchang, J. A study on characteristics and enhancement of pervaporation – membrane separation process 71(1989)1

Chapman, J.W., see Lozier, J.C. 88(1992)3

Chartot, A., Lopez, V., Lindheimer, A., Aouad, N. and Gavach, C.

Electrodialysis of acid solutions with metallic divalent salts: cation-exchange membranes with improved permeability of protons 101(1995)141

Chapple, L., see Watson, B. 96(1994)369

Chauhan, D.K., see Adhikari, S.K. 84(1991)189

Chauhan, D.K., see Narayanan, P.K. 84(1991)201

Chebi, P.B., see Hamano, T. 96(1994)23

Chen, J., see Hamby, K. 76(1989)3

Chen, J., see Ji, J. 85(1992)297

Chen, J., Lu, H.S. and Awerbuch, L. Seawater desalination to augment the water supply on Penghu Island, Taiwan 97(1994)319

Chen, Jiayan., Wang, Liancheng and Zhengyu, Zhu. Preparation of enzyme immobilized membranes and their self-cleaning and anti-fouling abilities in proteins separations 86(1992)301

Chen, W.H., see Elimelech, M. 95(1994)269

Cheng, P., see Zhu, B. 90(1993)119

Cheng, R., Glater, J., Neethling, J.B. and Stenstrom, M.K. The effects of small halocarbons on RO membrane performance 85(1991)33

Chereisky, Z.Yu., see Leksovskaia, N.P.

86(1992)91 Cherif, A.T., see Elmidaoui, A. 101(1995)39

Cheryan, M., see Ali Asbi, B. 86(1992)49

Chia, P.S., see Hodgkiess, T. 84(1991)267

Chida, K., see Pohland, H.W. 96(1994)303

Childs, W.D. and Dabiri, A.E.

Desalination cost savings of Vari–ROTM pumping technology 87(1992)109

Childs, W.D. and Dabiri, A.E.

Increased water production using a heat recovery engine for "direct drive" VARI–ROTM pumping 96(1994)81

Chiu, W.Y., see Hsieh, K.H. 71(1989)97

Chmiel, H., see McDonogh, R.M. 79(1990)217

Chu, M.-L., see Hsiue, G.-H. 71(1989)35

Ciuff, C.W.

Water harvesting systems in arid lands 72(1989)149

Clark, M.M. and Heneghan, K.S. Ultrafiltration of lake water for potable water production 80(1991)243

Clausen, N.E.

Development of a plate evaporator/condenser for the mechanical vapour compression process 81(1991)399

Cluff, C.B.

Slow sand/nanofiltration treatment for secondary treated wastewater 88(1992)53

Colbourne, J.S., see Rachwal, A.J. 97(1994)427

Colella, C., see Pansini, M. 78(1990)287

Colella, C., see Pansini, M. 83(1991)145

Coleman, A., see Bagwell Jr., T.H. 99(1994)409

Coleman, A.J., see Downing, E.A. 99(1994)383

Colenutt, B.A., see Latif, N.A. 74(1989)205

Colon, W.J.

Historic development of the concentrate regulations 78(1990)11

Colon, W.J., see Smith, B.E. 78(1990)99

Colon, W.J., Hornburg, C.D., Watson, B.M. and Kiefer, C.A.

Membrane softening: The concept and its application to municipal water supply 78(1990)157

Comstock, D.L.

Desal-5 membrane for water softening 76(1989)61

Congjie, G., see Xueren, L. 96(1994)155

Congjie, G., Xueren, L. and Zhiguo, B. Polysulfone amide (PSA) asymmetric reverse osmosis membrane 83(1991)271

Cooper, R.C., see Thompson, K. 88(1992)201

Correnti, S.J. see Yeh, G.C. 81(1991)129

Costa, M.L., see Dickson, J.M. 89(1992)63

Costa, M.L. and Dickson, J.M.

Modelling of modules and systems in reverse osmosis. Part I: Theoretical system design model development 80(1991)251

Craig Jr, J.C., see Dickey, L.C. 78(1990)397 Crerar, A.J. and Pritchard, C.L.

Wavepowered desalination: Experimental and mathematical modelling 81(1991)391

Crijns, M.J., see Kupitz, J. 99(1994)299

Crins, M.J., see Aboughalya, E.D. 81(1991)505

D

Dabbagh, T.A. and Al-Saqabi, A.

The increase demand for desalination 73(1989)3

Dabiri, A.E., see Childs, W.D. 87(1992)109

Dabiri, A.E., see Childs, W.D. 96(1994)81

Daghthem, A.M., see Al-Mutaz, I.S. 76(1989)177

Dal-Cin, M.M., Striez, C.N., Tweddle, T.A., Capes, C.E., McLellan, F. and Buisson, H. Effect of adsorptive fouling on membrane performance: Case study with a pulp mill effluent 101(1995)155

Dalas, E. and Koutsoukos, P.G.

Calcium carbonate scale formation and prevention in flow-through system at various temperatures 78(1990)403

Dalton, J.H., see Ali, G. 76(1989)27

Damodaram, A., see Makkawi-Ahmed, B. 93(1993)365

Danial, K.H., see Al- Ambuky, A.H. 92(1993)271 Danielson, R.E., see Thompson, K. 88(1992)201

Dannish, S., see Khater, A. 97(1994)281

Darton, E.G., see McGlone, K.J. 96(1994)397

Darton. E.G. and Turner. A.G.

Operating experiences in a sea water RO plant in Gilbratar (1987-1990) 82(1991)51

Darwish, B.A., see Ebrahim, S.E. 74(1989)141

Darwish, B.A.Q., Abdel-Jawad, M. and Aly, G.S. On the standartization of performance data for

reverse osmosis desalination plants 74(1989)125

Darwish, B.A.Q., Aly, G.S., Al-Roobab, H.A. and Abdel-Jawad, M.

Predictability of membrane performance of reverse osmosis systems for seawater desalination 75(1989)55

Darwish, M.A., see Abdel-Jawad, M. 75(1989)97

Darwish, M.A., see Al Hawaj, O. 96(1994)3

Darwish, M.A., see Al Hawaj, O. 99(1994)119

Darwish, M.A., see Al-Ahmed, M.Sh. 81(1991)449 Darwish, M.A., see Al-Marafie, A.M.R.

71(1989)45

Darwish, M.A., see Jabboury, B.G. 84(1991)106 Darwish, M.A., see Younis, M.A. 94(1993)11

Darwish, M.A.

Thermal analysis of multi-stage flash desalting systems 85(1991)59

Darwish, M.A., Abdel-Jawad, M.

Technical aspects of reducing desalting water cost by distillation methods 76(1989)305

Darwish, M.A., Abdel-Jawad, M. and Aly, G.S. Comparison between small capacity mechanical vapor compression (MVC) and reverse osmosis (RO) desalting plants 78(1990)313

Darwish, M.A., Abdel-Jawad, M. and Aly, G.S. Technical and economical comparison between large capacity MSF and RO desalting plants 76(1989)281

Darwish, M.A., Abdel-Jawad, M. and Alv, G.S. Technical and economical comparison between large capacity multi stage flash and reverse osmosis desalting plants 72(1989)367

Darwish, M.A. Abdel-Jawad, M. and Hauge, L.J. A new dual-function device for optimal energy recovery and pumping for all capacities of RO systems 75(1989)25

Darwish, M.A., Al Najem, N.M., Froment, T. and de Gunzbourg, J.

The Kuwait University Pilot plant: A single multi-effect plant to study the varation of evaporation parameters at different temperatures 74(1989)277

Darwish, M.A., Al-Najem, N.M. and

Al-Ahmad, M.S.

Second-low analysis of recirculating multi-stage flash desalting system 89(1993)289

Darwish, M.A. and Abdel-Jawad, M.

Techical aspects of reducing desalting water costs in distillation methods 72(1989)381

Datta, N. and Guha, B.K.

Mass transfer limitations in a membrane module 89(1993)343

Davarsky, K., see Mavrov, V. 83(1991)289

Dave, A.M., see Velikova, S. 94(1993)1

Dave, N.J., see Adhikari, S.K. 84(1991)189

Dave, N.J., see Narayanan, P.K. 84(1991)201

Davenport, W.F.

Desalination? Decision making 99(1994)245
Dawood U., see Abdul-Majid, S. 75(1989)185
Dawood U., see Abdul-Majid, S. 75(1989)199
Daye, M.A., see Awerbuch, L. 97(1994)221
de Gennaro, M., see Pansini, M. 83(1991)145
de Gunzbourg, J., see Darwish, M.A. 74(1989)277
de Gunzbourg, J., see Gregorzewski, A. 82(1991)145
De Pinho, M.N., see Afonso, M.D. 79(1990)115
Dean, D.W., see Hammond, R.P. 99(1994)459
Dean, K.K.

The effect of the use of reclaimed water and high pressure effluent on plant operations at Hyperion treatment plant 88(1992)331

DeHan, R.S.

Current regulatory concerns related to the disposal of RO concentrates in Florida 78(1990)17

Del Bene, J.V., Jirka, G. and Largier, J. Ocean brine disposal 97(1994)365

Del Re, G., see Di Giacomo, G. 81(1991)249

Del Re, G., see Di Giacomo, G. 91(1993)21

Del Re, G., see Di Giacomo, G. 89(1992)185

DeLeeuw, J., see Dickson, J.M. 99(1994)1

Deryde, X., see White, D.A. 84(1991)177

Desai, N.V., see Rangarajan, R. 85(1991)81

Deshpande, P.B., see Selvaraj, R. 101(1995)185

Deshpandey, P.B., see Husain, A. 97(1994)555

Dhiman, N.K.

Evaluation of optimum thickness of bottom insulation for a conventional solar still 78(1990)201

Di Giacomo, G., Brandani, P., Brandani, V. and Del Re, G. Solubility of boric acid in aqueous solutions of chloride salts 91(1993)21 Di Giacomo, G., Brandani, V. and Del Re, G. Evaporation of olive oil mill vegetation waters 81(1991)249

Dickey, L.C. and Craig Jr., J.C.

Determination of a liquid state from that of liquid solution coupled to it by a common vapor phase 78(1990)397

Dickson, J.M., see Costa, M.L. 80(1991)251

Dickson, J.M., Spencer, J. and Costa, M.L. Dilute single and mixed solute systems in a spiral wound reverse osmosis module. Part I: theoretical model development 89(1992)63

Dickson, J.M., Whitacker, G., DeLeeuw, J. and Spencer, J.

Dilute single and mixed solute systems in a spiral wound reverse osmosis module. Part II. Experimental data and application of the model 99(1994)1

Dimitrijevic, S., see Ninic, N. 89(1993)263

Dobrevsky, I., see Mavrov, V. 85(1992)335

Dobrevsky, Iv. and St. Pavlova

Organic matter removal from natural waters by electrodialysis demineralization 86(1992)43

Docker, P., see Wong, P. 98(1994)225

Doi, S. and Hamanaka, K.

Pore size control technique in the spinning of polysulfone hollow fiber ultrafiltration membranes 80(1991)167

Domenech, S., see Floquet, P. 92(1993)1

Dong, D., see Wang, D. 99(1994)367

Dong Sheng-Hua, see Hou Tai-Ping 83(1991)343

Dong-Sheng, C., see Yu-Rong, L. 96(1994)145

Dotremont, C., Goethaert, S. and Vandecasteele, C. Pervaporation behaviour of chlorinated hydrocarbons through organophilic membrane 91(1993)177

Dotremont, C., Van den Ende, S., Vandommele, H. and Vandecasteele, C.

Concentration polarization and other boundary layer effects in the pervaporation of chlorinated hydrocarbons 95(1994)91

Downing, E.A.

Force provider: an emergency response system 99(1994)401

Downing, E.A., Coleman, A.J. and Bagwell Jr., T.H.

US Army reverse osmosis membrane research programs 99(1994)383

Doyen, W., Leysen, R., Mottar, J. and Waes, G. New composite tubular membranes for ultrafiltration 79(1990)163

Drioli, E., see Calabro, V. 78(1990)257

Drioli, E., see Calabro, V. 83(1991)209

Drioli, E., see Gaeta, S.N. 80(1991)181

Drioli, E., see Gaeta, S.N. 83(1991)383

Duputell, D., Staude, E. and Wyszynski, D. Sorption of human albumin and endotoxin on uncharged and charged ultrafiltration membranes made from polysulfone and polyethersulfone 95(1994)75

Dutre, B. and Tragardg, G.

Macrosolute-microsolute separation by ultrafiltration: A review of diafiltration processes and applications 95(1994)227

Dytnersky, Yu.I. and Hojainov, Yu. Extraction and utilisation of valuable components from ocean water 81(1991)261

Dytnersky, Yu.I., Romanenko, Yu.K. and Agashichev, S.P. The calculation of microfiltration of

The calculation of microfiltration of suspensions in cardridge filters 81(1991)265

Dytnersky, Yu.I., Volchek, K.A. and Polyanskaya, N.B.

Separation of multicomponent solutions using reagent ultrafiltration 81(1991)273

E

Ebrahim, S.

Cleaning and regeneration of membranes in desalination and waste water applications: State of the art 96(1994)225

Ebrahim, S., see Abdel–Jawad, M. 99(1994)57 Ebrahim, S., see Al–Atiqi, I.M. 75(1989)119

Ebrahim, S. and Abdel-Jawad, M.

Economics of seawater desalination by reverse osmosis 99(1994)39

Ebrahim, S. and El-Dessouky, H. Evaluation of commercial cleaning agents for seawater reverse osmosis membranes 99(1994)169

Ebrahim, S.E. and Darwish, B.A. Scaling potential of Kuwait seawater for reverse osmosis desalination 74(1989)141

Eckman, T.J., Moch Jr., I. and Shields, C.P. The TWINTMpermeator—Development and commercialization of a new RO device 96(1994)11

Edwards, E. and Bowdoin, P.
Irrigation with membrane plant concentrate:
Fort Myers case study 78(1990)49

Edwards, E.D., see Lange, P.H. 76(1989)39 Effenberger, F., see Bauer, B. 79(1990)125 Egli, T., see Hamer, G. 72(1989)31 Egozy, Y., see Oren, Y. 86(1991)155 Eid, N.M.A.

Localized corrosion at welds in structural steel under desalination plant conditions:

Eid, N.M.A., see Al-Zahrani, H. 84(1991)349 Eisa, E.I., see Hamed, O.A. 93(1993)563 Eisenberg, D., see Thompson, K. 88(1992)201 Eissenberg, D.M., see Hammond, R.P. 87(1992)69 Eissenberg, D.M., see Hammond, R.P. 99(1994)459 El-Azhari, A.A., see Khedr, M.G.A. 72(1989)351 El-Bassouni, A.-M.A.

Factors influencing the performance of basintype solar desalination units 93(1993)625

El-Dahshan, M.E., see Al-Arifi, A. 97(1994)77 El-Dahshan, M.E., see Hazza, M.I. 95(1994)199 El-Dessouki, H.T.

A water desalination course 94(1993)331

El-Dessouky, H., see Ebrahim, S. 99(1994)169 El-Dessouky, H.T.A.

Humidification – dehumidification desalination process using waste heat from a gas turbine 71(1989)19

El-Haggar, S.M. and Awn, A.A.

Optimum conditions for a solar still and its use for a greenhouse using the nutrient film technique 94(1993)55

El-Hares, H., see Al Bakeri, F. 94(1993)133 El-Hares, H., see Al-Bakeri, F. 92(1993)353

El-Hawary, M.E. Artificial neural networks and possible applications 92(1993)125

- El-Kafrawi, M.S.I., see Ali El Saie, M.H. 73(1989)207
- El-Maghary, Y. and Tamminen, E.
 Relevant methods for planning and optimization
 of power and water production systems of the
 gulf countries 92(1993)149
- El-Nashar, A.

 Cost allocation for electricity and water for the
 Umm Al Nar West cogeneration plant using the
 exergy accounting method 71(1989)57
- El-Nashar, A.M.
 Optimum selection of cogeneration systems for power and desalination 71(1989)211
- El-Nashar, A.M.
 Performance of the solar desalination plant at Abu Dhabi 72(1989)405
- El-Nashar, A. and Qamhiyeh, A. Simulation of performance of MES evaporators under unsteady state operating conditions 79(1990)65
- El-Nashar, A. and Sarfraz Khan, M. Economic scheduling of the UAN cogeneration plant: A preliminary optimization study 85(1991)93
- El-Nashar, A.M., see Al-Gobaisi, D.M.K. 84(1991)3
- El-Nashar, A.M., see Al-Radif, A. 84(1991)45
- El-Nashar, A., see Herrmann, D. 92(1993)171
- El-Nashar, A., see Herrmann, D. 92(1993)185
- El-Nashar, A.M.

 An optimal design of a solar desalination plant 93(1993)597
- El-Nashar, A.M.
 System design optimization of a solar desalination plant using a multi-effect stack type distillation unit 97(1994)587
- El-Nashar, A.M.
 An MSF evaporator for the UANW 9 and 10 power station. Design considerations based on energy and exergy 97(1994)253
- El-Nashar, A.M. and Qamhiyeh, A.A.
 Performance and reliability of a solar desalination
 plant during a five year operating period
 82(1991)165

- El-Nashar, A.M. and Qamhiyeh, A.A.
 Optimal performance of MSF distillers for
 UANW 9 and 10 power plant. A thermoeconomic
 study 93(1993)323
- El-Sadek, S. and Mabrouk, B.
 Tourism development and desalination systems:
 Comparative analysis of systems suitability for
 coastal areas of the Red Sea and Gulf of Aqaba,
 Egypt 88(1992)161
- El-Saie, M.H.A.

 The MSF desalination process and its prospects for the future 93(1993)43
- El-Saie, M.H.A. and Hafez, M.H.E. Selecting and tuning the control loops of MSF desalination for robustness 97(1994)529
- El-Sayed, Y.M. Advances in the methodologies of optimal thermal design 92(1993)79
- El-Sebaie, O., see El-Shal, W. 99(1994)149
- El-Shal, W., Khordagui, H., El-Sebaie, O., El-Sharkawi, F. and Sedahmed, G.H. Electrochemical generation of ozone for water treatment using a cell operating under natural convection 99(1994)149
- El-Sharkawi, F., see El-Shal, W. 99(1994)149
- El-Sum, E.A., Sattar, A. and Aziz, M.A. Automation of water treatment plants and its application in power and desalination plants 92(1993)309
- El-Twaty, A.I. and Karshman, S.A. Experience with MSF desalination plants in Libya 73(1989)385
- El-Warraki, A.A., see Saber, T.M.H. 93(1993)473 Elarbash, M.
 - Improvements of conventional water intake system 82(1991)315
- Elarbash, M.
 New sea water intake filtration system 82(1991)303
- Elgarni, M.M., see Pareek, N.K. 73(1989)417
- Elimelech, M., see Glater, J. 95(1994)325 Elimelech, M., Chen, W.H. and Waypa, J.J. Measuring the zeta (electrokynetic) potential of reverse osmosis membranes by a streaming potential analyser 95(1994)269

Elmethnani, M.

Simulation model for desalting HTME-type evaporators 97(1994)541

Elmidaoui, A. and Gavach, C.

Nacl diffusion across an amphoteric ion exchange membrane 78(1990)343

Elmidaoui, A., Cherif, A.T., Molenat, J. and Gavach, C.

Transfert of H₂SO₄, Na₂SO₄ and ZNSO₄ by dialysis through an anion exchange membrane 101(1995)39

Elshibini, F.Z. and Al-Nakshabandi, G.A. A modified system of subsidizing distilled water in Kuwait 72(1989)235

Elyanow, D., see Harries, R.C. 84(1991)109

Emerson, T.H., see Campbell, R.L. 99(1994)423

Emmerman, D.K., see Hammond, R.P. 87(1992)69

Emmerman, D.K., see Hammond, R.P. 99(1994)459

Endo, H., see Oikawa, E. 94(1993)25

Erbing, M.L., see Olsson, J. 73(1989)267

Erdmann, C., see Rautenbach, R. 81(1991)285 Ericsson, B.

Process options for nitrogen and phosphorus removal in domestic wastewater 98(1994)105

Ericsson, B., see Sikora, J. 75(1989)363

Ericsson. B. and Hallmans, B.

Control of the nutrient pollution discharge from the Vistula River Basin in Poland 98(1994)185

Ericsson, B. and Hallmans, B.

Membrane applications in raw water treatment with and without reverse osmosis desalination 98(1994)3

Ericsson, B. and Hallmans, B.

Membrane filtration as a pre-treatment method 82(1991)249

Ericsson, B. and Hallmans, B.

Treatment and disposal of saline wastewater from coal mines in Poland 98(1994)239

Ericsson, B. and Hallmans, B.

Trends in domestic waste water treatment in Sweden 98(1994)259

Eriksson, P.K.

The effect of dissolved oxygen in water on the performance of a high rejection polyamide reverse osmosis membrane 83(1991)249

Erkenbrecher, C.W., Jr., see Applegate, L.E. 74(1989)51

Esen, I., see Puskas, K. 72(1989)125

Ettouney, H.M., see Rimawi, M.A. 74(1989)327

Etxaniz, J., see Henriquez, J.F. 82(1991)71

Evangelista, F., see Barba, D. 71(1989)137

Evangelista, F., see Barba, D. 71(1989)289

Evans, C.K., see Finan, M.A. 73(1989)341

F

Faggard, G., see Muhurji, M. 76(1989)75

Fajner, D., see Saavedra, A. 82(1991)267

Famelart, M.H., see Surel, O. 95(1994)11

Fan, G., see Ji, J. 85(1992)297

Fane, A.G., see Hogan, P.A. 81(1991)81

Fane, A.G., see Schofield, R.W. 77(1990)279

Fane, A.G., see Vaid, A. 83(1991)137

Farran, K.M., see Al-Sofi, M.A.K. 96(1994)313

Fathalah, K. and Aly, S.E.

Theoretical study of a solar powered absorption/MED combined system 82(1991)245

Favre, E., see Schaetzel, P. 90(1993)259

Fearn, W.A., see Hick., D.C. 73(1989)95

Fedele, U., see Gaeta, S.N. 83(1991)183

Fei, M., see Ji, J. 85(1991)297

Fell, C.J.D., see Schofield, R.W. 77(1990)279

Fergus, I., see Stuart, J. 75(1989)379

Fernandez, C.A., Huerta, B.H and Latapi, F.E.

Feasibility of seawater desalination to solve water shortage problems of the Salina Cruz (Pemex)

Refinery 73(1989)61

Feron, P. and Solt, G.S.

The influence of separators on hydrodynamics and mass transfert in narrow cells: Flow visualisation 84(1991)137

Ferrara, C.M., see Lewis, J.W. 87(1992)229

Filippo Mareta, see Calabro, V. 83(1991)209

Finan, M.A., see Wilcock, J.D. 97(1994)443

Finan, M.A., Smith, S., Evans, C.K. and Miur, J.W.H. BELGARDEV-15 years' experience in scale control 73(1989)341

Finnigan, S.M. and Howell, J.A.

The effect of pulsed flow on ultrafiltration fluxes in a baffled tubular membrane system 79(1990)181

Fisher, K.L., see Harries, R.C. 84(1991)109 Fleming, W. see Yeh, G.C. 81(1991)129

Floquet, P., Pibouleau, L. and Domenech, S. Recent trends in process optimization 92(1993)1

Flower, J.R., see Bikos, S.C. 81(1991)483 Fokin, M.N., see Lebedeva, O.H. 73(1989)457

Forgach, D.J., Rose, G.D. and Luteneske, N.E. Characterization of composite membranes by their non-equilibrium thermodynamics transport parameters 80(1991)275

Fosselard, G. and Wangnick, K.

Comprehensive study on capital and operational expenditures for different types of seawater desalting plants (RO, MVC, ME, ME-TVC, MSF) rated between 200 m3/d and 3,000 m3/d

76(1989)215

Fouda, A.E., see Zhang, S.Q. 80(1991)211
 Fouda, A.E., Bai, J., Zhang, S.Q., Kutowy, O. and Matsuura, T.
 Membrane separation of low volatile organic coumpounds by pervaporation and vapor permeation 90(1993)209

Fountoukidis, E., Maroulis, Z. and Marinos-Kouris, D.

Crystallization of calcium sulfate on reverse osmosis membranes 79(1990)47

Fountoukidis, E., Maroulis, Z.B. and Marinos-Kouris, D.

Modeling of calcium sulphate fouling of reverse osmosis membranes 72(1989)293

Frank, K.F. see Redondo, J.A. 82(1991)31 Franker, A.C.M., see Smolders, K. 72(1989)249

Franklin, J.C., see Ammerlaan, A.C.F. 88(1992)33 Franklin, J.C., see Ammerlaan, A.C.F. 96(1994)421

Fredkin, E. and Banks, R.

Computerized instrumentation and control for reverse osmosis systems 75(1989)141 Freeman, S., see Larson, R. 73(1989)119 Frenkel, V. and Gourgi, T.
Bracking water RO desalination plant in the Gaza
Strip 101(1995)47

Friedman, M.A., see Tleimat, B. 87(1992)97

Fritsch, D., Peinemann, K.-V. and Behling, R.-D. Silicon/non-silicone grafted blend composite membranes for air/vapor separation 90(1993)235

Froment, T., see Darwish, M.A. 74(1989)277

Fujioka, T., see Futakawa, M. 98(1994)345

Fujioka, Y., Soda, M., Zama, M. and Shimizu, I. Prevention of the scale trouble of multi-effect stacked desalination plants 73(1989)371

Fujiwara, N., see Kumano, A. 96(1994)451

Fujiwara, N., Fukuda, T., Yanaga, Y., Sekino, M. and Goto, T.

The reference and analysis of a double-element type hollow fiber RO module in seawater desalination 96(1994)441

Fujiwara, N., Numata, K., Kumano, A., Ogino, Y., Nagai, M. and Iwahashi, H.

The effect of heavy metal ions on the oxidation of cellulose triacetate membranes 96(1994)431

Fukami, T., see Fukuda, T. 97(1994)121

Fukuda, T., see Ayyash, Y. 96(1994)215

Fukuda, T., see Fujiwara, N. 96(1994)441

Fukuda, T., Fukami, T., Baba, Y. and Honma, K. Clad steel for seawater service 97(1994)121

Fukumoto, Y., Isobe, K., Moriyama, N. and Pujadas, F.

The performance test of new antiscalant "AQUAKREEN KC-550" under the high temperature condition at the MSF desalination plant in Dubai 83(1991)65

Fumagalli, B. and Ghiazza, E.
Mathematical modelling and expert system integration for optimum control strategy of MSF desalination plants 97(1994)547

Fumagalli, B. and Ghiazza, E.
Mathematical modelling and expert systems integration for optimum control strategy of MSF desalination plants 92(1993)281

Fuqua, T.M., Bowen, P.T. and Ortiz, R.S. Using reclaimed water for shallow aquifer recharge 88(1992)243 Fusaoka, Y., see Kurihana, M. 96(1994)133

Fusetti, F., see Massarani, A. 92(1993)377

Futakawa, M., Takahashi, H., Inoue, G. and Fujioka. T.

Treatment of concentrated cyanide wastewater 98(1994)345

Futamura, O., Katoh, M. and Takeuchi, K. Organic waste water treatment by activated sludge process using integrated type membrane separation 98(1994)17

Futsellar, H., Zoontjes, R.J.C., Reith, T. and Racz, I.G.

Economic comparison of transverse and longitudinal flow hollow fiber membrane modules for reverse osmosis and ultrafiltration 90(1993)345

\mathbf{G}

Gabbrielli, E., see Watson, B. 96(1994)369

Gabbrielli, E., see Wong, P. 98(1994)225

Gabrielli, E., see Stuart, J. 75(1989)379

Gada, M.K., see Tare, M.M. 81(1991)57

Gaeta, S.N. and Fedele, U.

Recovery of water and auxiliary chemicals from effluents of textile dye houses 83(1991)183

Gaeta, S.N., Petrocchi, E., Negri, E. and Drioli, E. Chlorine resistance of polypiperazineamide membranes and modules 83(1991)383

Gaeta, S.N., Zhang, H., Drioli, E. and Basile, A.
Polyorganophosphazene membranes: preparation
and transport properties 80(1991)181

Gajendra, N., see Turner, A.G. 98(1994)285

Gandhidasan, P. and Abualhamayel, H.I.

A simple analysis of solar desalination of seawater 99(1994)137

Garcia, J.M., see Sanchez, J.M. 82(1991)119 Gattis, D.E., see Lozier, J.C. 88(1992)3

Gavach, C., see Chapotot, A. 101(1995)141

Gavach, C., see Chapotot, A. 101(1995)141 Gavach, C., see Elmidaoui, A. 101(1995)39

Gavach, C., see Elmidaoui, A. 78(1990)343

Gavach, C., see Lindheimer, A. 94(1993)151

Gavach, C., see Salem, K. 101(1995)123

Gavash, C., see Pourcelly, G. 80(1991)193

Gavash, C., see Raucq, D. 91(1993)163 Gebel, J., see Rautenbach, R. 76(1989)107 Geghardt, F. and Maschlanka, J.

Possible applications of fuzzy controllers for chemical phosphate elimination 96(1994)89

Gekas, V. and Hallstrom, B.

Microfiltration membranes, cross-flow transport mechanims and fouling studies 77(1990)195

Gendel, A., see Ophir, A. 98(1994)383

Genthner, K., see Gregorzewski, A. 82(1991)145

Genthner, K., see Morsy, H. 96(1994)59

Genthner, K., see Seifer, A. 81(1991)333

Genthner, K. and Seifert, A.

A calculation method for condensers in multistage evaporators with non-condensable gases 81(1991)349

Genthner, K., Gregorzewski, A. and Seifer, A.
The effects and limitations issued by noncondensible gases in sea water distillers
93(1993)207

George, O., see Sadler, L.Y. 101(1995)169

Georgieva, V., see Mavrov, V. 83(1991)195

Gerdes, L., see Hamano, T. 96(1994)23

Germana, A., see Borsani, R. 96(1994)325

Ghabris, A.H., see Al-Atiqi, I.M. 75(1989)119

Ghabris, A.H., Abdel–Jawad, M. and Aly, G.S. Municipal wastwater renovation by reverse osmosis-state of the art 75(1989)213

Ghatge, N.D., see Biware, M.V. 101(1995)93

Ghatge, N.D., see Satre, M.D. 91(1993)121

Ghiazza, E., see Fumagalli, B. 92(1993)281

Ghiazza, E., see Fumagalli, B. 97(1994)547

Ghiazza, E., see Rebagliati, S. 75(1989)149

Giacomo, G.Di., Brandani, P., Brandani, V. and Del Re, G. Solubility of boric acid in aqueous solutions

Solubility of boric acid in aqueous solutions of sulfate salts 89(1992)185

Gimbel, R., see Lipp, P. 79(1990)203

Glater, J., see Cheng, R. 85(1991)33

Glater, J., Hong, S.K. and Elimelech, M.

The search for a chlorine-resistant reverse osmosis membrane 95(1994)325

Glueckstern, P.

Cost estimates of large reverse osmosis systems 81(1991)9

Glueckstern, P.

Potential uses of solar energy for seawater desalination 101(1995)11

Gnot, W., see Turek, M. 101(1995)57

Goethaert, S., see Dotremont, C. 91(1993)177 Golivad, N.N., see Rifert, V.G. 96(1994)183 Golub, S.I., see Iljushchenko, V.V. 81(1991)383 Golub, S.I., see Ilyushchenko, V.V. 74(1989)383 Golub, S.I., see Ilyushchenko, V.V. 74(1989)391 Gomez Gotor, A., see Veza, J.M. 85(1992)147 Gorge, B., see Lipp, P. 79(1990)203 Gostoli, C., see Bandini, S. 81(1991)91 Goto, T., see Fujiwara, N. 96(1994)441 Goto, T., see Ohta, K. 78(1990)177 Goto, T., see Ohta, K. 81(1991)107 Goto, T., see Okabe, T. 93(1993)235 Gotoh, S., see Nita, K. 96(1994)33 Gourgi, T., see Frenkel, V. 101(1995)47 Govert, A.A., see Martynova, O.I. 71(1989)337 Govindan, K.P., see Adhikary, S.K. 71(1989)301 Grabska-Winnicka, D. and Winniki, T. Membrane separation in biological sewage treatment processes 83(1991)243 Graef, J.H.W.

Solar desalination plant contra CO₂ emission 82(1991)187
Graham, S.I., Reitz, R.L. and Hickman, C.E.
Improving reverse osmosis performance through

periodic cleaning 74(1989)113 Graveland, A., see Van Den Berkomortel, H.A. 98(1994)83

Gregorzewski, A., see Genthner, K. 93(1993)207
Gregorzewski, A., Genthner, K., Zarza, E., Leon, J., de Gunzbourg, J., Alefeld, G. and Scharfe, J.
The solar thermal desalination research project at the Plataforma Solar de Almeria 82(1991)145
Griepentrog, H.

Total quality management and desalination plants: a practical application for result-based management methods 93(1993)373

Grigorenko, S.V., see Rifert, V.G. 74(1989)373 Gromov, B.A., see Lebedeva, O.H. 73(1989)457 Groschl, A., see Rautenbach, R. 77(1990)73 Groschl, A., see Rautenbach, R. 90(1993)93

Groth, H.L., see Olsson, J.O. 97(1994)67Gudernatsch, W., Krumbholz, Ch. andStrathmann, H.

Development of an anion-exchange membrane with increased permeability for organic acids of high molecular weight 79(1990)249

Guha, B.K., see Datta, N. 89(1993)343
Guidice, see Zannoni, R. 82(1991)337
Gupsa, S.K., Guspa, S. and Narayana, A.
Design and parameter estimation of reverse osmosis systems 86(1992)77
Gupta, S.K.

Design and analysis of reverse osmosis systems using three parameters models for transport across the membrane 85(1992)283

Gurumoorthy, K. and Swaminathan, T.
Use of reverse osmosis in chlor alkali plant
98(1994)303

Guseva, O.V., see Linnikov, O.D. 89(1993)311 Gusmano, G., Simoncelli, C., Valota M.N. and Travesta, E.

Factor affecting the corrosion behavior of CN 108 alloy in sea water 74(1989)259

Guspa, S., see Gupsa, S.K. 86(1992)77 Gyseva, O.V. see Martynova, O.I. 83(1991)55

H

Habib, K.

Habbe, R., see Rautenbach, R. 84(1991)153

Electrochemical behavior of a high strength nickel-based alloy in H₂SO₄ 93(1993)537

Habib, K. Electrochemical behavior of copper–nickel alloys in sulfide polluted seawater at moderate tempera-

tures 89(1992)41
Habib, K.
Predictability of a membrane transport model:

a general approach 75(1989)41 Habib, K., see Husain, A. 99(1994)113

Habib, K. and Amin, A.

Electrochemical behavior of Al-brass in natural seawater 85(1992)275

Habib, K. and Husain, A. Stress corrosion cracking of copper–nickel alloys in sulphide polluted natural seawater at moderate temperatures 97(1994)29

Hafez, M.H.E., see El-Saie, M.H.A. 97(1994)529

Hakamaya, A., see Haruhiko, H. 94(1993)167

Hallmans, B., see Ericsson, B. 82(1991)249

Hallmans, B., see Ericsson. B. 98(1994)185

Hallmans, B., see Ericsson, B. 98(1994)239

Hallmans, B., see Ericsson, B. 98(1994)259

Hallmans, B., see Ericsson, B. 98(1994)3

Hallmans, B., see Masarczyk, J. 75(1989)259

Hallstrom, B., see Gekas, V. 77(1990)195

Hallstrom, B., see Zhang, W. 79(1990)1

Hamanaka, K., see Doi, S. 80(1991)167

Hamano, T., Chebi, P.B., Gerdes, L. and Wolfe, T.D.

The development of a new electrodialysis system for brackish water 96(1994)23

Hamby, K. and Chen, J.

Operating experience of an RO plant as pretreatment of demineralizer system in a cogeneration plant 76(1989)3

Hamdan, L.

Water resources research needs in the Arabian Gulf area 72(1989)3

Hamdona, S.K., Nessim, R.B. and Hamza, S.M. Spontaneous precipitation of calcium sulphate dihydrate in the presence of some metal ions 94(1993)69

Hamed, O.A.

Thermal assessment of a multiple effect boiling (MEB) desalination system 86(1992)325

Hamed, O.A. and Ahmed, K.A.

An assessment of an ejectocompression desalination process 96(1994)103

Hamed, O.A. and Alv, S.

Simulation and design of MSF desalination processes 80(1991)1

Hamed, O.A., Eisa, E.I. and Abdalla, W.E. Overview of solar desalination 93(1993)563

Hameed, M.S.

Design method of reverse osmosis units used in desalination 75(1989)85

Hamer, G., Egli, T. and Awadhi, N.A.
Polluted water renovation for reuse: Recent biotechnological advances applicable in hot arid regions 72(1989)31

Hamida, A.B., see Pohland, H.W. 96(1994)303 Hammond, R.P., Eissenberg, D.M., Emmerman, D.K., Jones Jr., J.E. and Sephton, H.H. Large scale seawater distillation for Southern California 87(1992)69

Hammond, R.P., Eissenberg, D.M., Emmerman, D.K., Jones Jr., J.E., Sephton, H.H., Standiford, F.C., Scott, R.F., Rider, W.J. and Dean, D.W. Sea water desalination plant for Southern California 99(1994)459

Hammoud, A.A., see Shams El Din, A.M. 85(1991)13

Hamza, S.M., see Hamdona, S.K. 94(1993)69

Han, M.-J. and Bhattacharyya, D.

Thermal annealing effect on cellulose acetate reverse osmosis membrane structure 101(1995)195

Hanafi, A.

Desalination using renewable energy sources 97(1994)339

Hanafi, A.

Design and performance of solar MSF desalination systems 82(1991)175

Hanbury, W.T., see Alvonitis, S. 85(1992)321

Hanbury, W.T., see Avlonitis, S. 81(1991)191

Hanbury, W.T., see Avlonitis, S. 89(1993)227

Hanbury, W.T., see Ben Boudinar, M. 86(1992) 273 Hanbury, W.T.

Some thoughts on the limitations on increasing the unit sizes of conventional cross—tube MSF distillation plants 93(1993)127

Hanemaaijer, J.H, see Van Der Horst, H.C. 77(1990)235

Hanra, M.S., see Sadhukhan, H.K. 96(1994)249

Hanra, M.S., see Tewaki, P.K. 73(1989)359

Hansson, C.H., see Masarczyk, J. 75(1989)259

Hansson, C.H., see Sikora, J. 75(1989)363

Hao, J. and Zhao, Q.

The development of membrane technology for wastewater treatment in textile industry in China 98(1994)353

Harada, K., see Miura, M. 98(1994)375

Harada, Y. and Yamasaki, K.

Treatment of wastewater and sludge by a catalytic wet oxidation process 98(1994)27

Harkare, W.P., see Adhikary, S.K. 71(1989)301

Harlow, H.W., Ray, M. and Quick, R. Nine years of reverse osmosis operation at

Englewood 87(1992)193

Harlow, W., see Smith, B.E. 78(1990)99

Harries, R.C., Elyanow, D., Heshka, D.N. and Fisher, K.L.

Desalination of brackish groundwater for a prairie community using electrodialysis reversal 84(1991)109

Harrold, S.J., see Rudie, B.J. 90(1993)107

Haruhiko, H., Hakamaya, A., Hiraoka, Y. and Negishi, Y.

Theoretical studies on the separation of different ionic species of the same charge sign using cascade electrodialysis with reflux 94(1993)167

Hasegawa, J., see Yushina, Y. 98(1994)413

Hashimoto, T., see Miyatake, O. 91(1993)51

Hassan, A., see Al-Gobaisi, D.M.K. 92(1993)211

Hassan, A., see Al-Gobaisi, D.M.K. 97(1994)469

Hassan, A., see Husain, A. 92(1993)21

Hassan, A., see Husain, A. 92(1993)43

Hassan, A., see Rao, G.P. 97(1994)507

Hassan, A., Al–Sum, E.A. and Aziz, S. Storage and retrieval of corrosion data of desalir

Storage and retrieval of corrosion data of desalination plant owners 97(1994)131

Hassan, A., Aziz, S., Radif, A., Said, M.S. and Al-Sum, E.A.

Corrosion experience data bank system for desalination and power plants (Corex) 84(1991)251

Hassan, A.M., Al-Jarrah, S., Al-Lohibi, T., Al-Hamdan, A., Bakheet, L. M. and Al-Amri, M.M.I.

Performance evaluation of SWCC SWRO plants 74(1989)37

Hassan A.M. and Malik, A.U.

Corrosion resistant materials for seawater RO plants 74(1989)157

Hassan Beck, H.M., see Pareek, N.K. 73(1989)417Hassan, M.S., Toyama, S., Jurae, K. and Wahhab, M.A.

Multieffect solar still for agricultural purposes in hot climate 71(1989)347

Hasson, D., see Brusilovsky, M. 71(1989)355

Hasson, D., see Brusilovsky, M. 86(1992)187

Hattori, S. and Minato, A.

Human welfare by nuclear desalination using super-safe, small and simple reactors (4S) 99(1994)345

Hauge, L.J., see Darwish, M.A 75(1989)25

Haugseth, L.A., see Suemoto, S.H. 96(1994)43

Hawlader, M.N.A., see Malek, A. 91(1993)265

Hawlader, M.N.A., see Malek, A. 99(1994)19

Hayano, I., see Ohta, K. 81(1991)107

Hayano, T., see Ohta, K. 78(1990)177

Hayashi, Y., see Nagai, M. 96(1994)291

Hayes, D.W.J. and Kipps, J.A.L.

Salt-gradient solar ponds from concentrated subsurface agricultural drainage waters of the San Joaquin Valley, California 88(1992)301

Hayes, G.

Contamination of food-process water supplies 82(1991)375

Hazlett, J.D., see Tam, C.M. 89(1993)275

Hazlett, J.D., see Tweddle, T.A. 86(1992)27

Hazza, M.I. and El-Dahshan, M.E.

The effect of molybdenum on the corrosion behaviour of some steel alloys 95(1994)199

Hazzaa, M.I., see Al-Arifi, A. 97(1994)77 He Zhang, X.

A way to solve trouble encountered in one RO system 96(1994)459

Heikal, O., see Al-Sum, E.A. 97(1994)109

Heneghan, K.S., see Clark, M.M. 80(1991)243

Henriquez, J.F., Bonet, J. and Etxaniz, J.

Galdar-Agaete seawater desalination plant construction and one year operational experience for the 3,500M3/day reverse osmosis plant 82(1991)71

Henthorne, L., see Hightower, S. 99(1994)201 Herbranson, L. and Suemoto, S.H.

Desalination research-Current needs and approaches. A U.S. perspective 96(1994)39

Herion, C., see Rautenbach, R. 72(1989)339 Herrmann, C.C.

High-recovery reverse osmosis using a recycle loop 91(1993)279

Herrmann, D., El-Nashar, A. and Aidrous, A.
Short-term operational planning in WED. Part I:
Structure of the cogeneration system
92(1993)171

Herrmann, D., El-Nashar, A. and Aidrous, A. Short-term operational planning in WED. Part II: Load dispatch and unit commitment 92(1993)185 Heshka, D.

EDR – Water treatment – Desalination on the prairies 88(1992)109

Heshka, D.N., see Harries, R.C. 84(1991)109

Hess, G., Morin, O.J. and Carrigan, W.V.Seawater desalting for Southern California:Technical and economic considerations87(1992)55

Hibi, K., see Oikawa, E. 94(1993)25

Hick., D.C., Fearn, W.A., Pleass, C.M. and Staples, D.

Development, testing and the economics of a composite/plastic seawater reverse osmosis pump 73(1989)95

Hick., D.C., Mitcheson, G.R., Pleass, C.M. and Salevan, J.F.

DELBUOY: Ocean wave-powered seawater reverse osmosis desalination system 73(1989)81

Hickman, C.E., see Graham, S.I. 74(1989)113

Hightower, S., Price, K. and Henthorne, L.

The US Bureau of Reclamation's research programs in water treatment and desalting technologies 99(1994)201

Higuchi, A., see Nakagawa, T. 90(1993)183

Higuchi, A., Ishida, Y. and Nakagawa, T. Surface modified polysulfone membranes: Separation of mixed proteins and optical resolution of tryptophan 90(1993)127

Hirai, M., see Okabe, T. 93(1993)235

Hiraoka, Y., see Haruhiko, H. 94(1993)167

Hirata, Y., see Yamauchi, A. 71(1989)277

Hirata, Y., see Yamauchi, A. 80(1991)61

Ho, G., see Robinson, R. 86(1992)9

Ho, J.C., see Malek, A. 91(1993)265

Ho, J.C., see Malek, A. 99(1994)19

Hobler, M.M., see Bender, H. 72(1989)161 Hodgkiess, T.

Current status of materials selection for MSF distillation plants 93(1993)445

Hodgkiess, T., see Alvonitis, S. 85(1992)321

Hodgkiess, T. and Chia, P.S.

Assessment of lower-alloy stainless steels for use in desalination plant 84(1991)267

Hoffman, D.

The application of solar energy for large-scale seawater desalination 89(1992)115

Hogan, P.A., Sudjito, Fane, A.G. and

Morrison, G.L.

Desalination by solar heated membrane distillation 81(1991)81

Hojainov, Yu., see Dytnersky, Yu.I. 81(1991)261

Hollein, H.C., see Slater, C.S. 90(1993)291

Honda, T., see Oikawa, E. 94(1993)25

Honda, T. and Kugawa, Y.

Recycling of sewage treatment water by ozone 98(1994)327

Hong, S.K., see Glater, J. 95(1994)325

Honma, K., see Fukuda, T. 97(1994)121

Horii, Y., see Kawanishi, T. 97(1994)415

Hornburg, C.D., see Colon, W.J. 78(1990)157

Hornburg, C.D., see Watson, B.M. 72(1989)11

Hornburg, C.D. and Watson, B.M.

Operational optimization of MSF systems 92(1993)333

Hou Tai-Ping, Dong Sheng-Hua and Sheng Ling-Ying

The study of mechanism of organic additives action in the polysulfone membrane casting solution 83(1991)343

Howarth, D.A., see Al-Khadafi, A.A. 75(1989)289

Howell, J.A., see Finnigan, S.M. 79(1990)181

Hsari, M., see Chaibi, M.T. 82(1991)197

Hsieh, K.H., Lin, B.Y. and Chiu, W.Y.
Studies on diisocyanate-modified cellulose acetate
membranes 71(1989)97

Hsiue, G.H., Pung, L.-S., Chu, M.-L. and Shieh, M.-C.

Treatment of uranium effluent by reverse osmosis membrane 71(1989)35

Huerta, B.H., see Fernandez, C.A. 73(1989)61

Humphries, J.R. and Middleton, E.

CANDESAL: a Canadian Nuclear Desalination System 99(1994)329

Hurndall, M.J., Jacobs, E.P. and Sanderson, R.D. The performance of novel reverse osmosis membranes made from poly–2-vinylimidazoline. I. 86(1992)135

Hurndall, M.J., Jacobs, E.P., Van Reenen, A.J. and Sanderson, R.D.

Modified poly-2-vinylimidazoline reverse osmosis membranes 89(1992)203

Hurndall, M.J., Sanderson, R.D., Jacobs, E.P. and Van Reenen, A.J.

Poly(2-vinylimidazoline) composite reverse osmosis membranes 90(1993)41

Husain, A., see Abdulbary, A.F. 92(1993)323

Husain, A., see Habib, K. 97(1994)29

Husain, A., Al-Gobaisi, D.M.K., Hassan, A.,
Kesou, A., Kurdali, A. and Podesta, S.
Modelling, simulation, optimization and control of multistage flash (MSF) desalination plants:
Part II. Optimization and control 92(1993)43

Husain, A., Habib, K. and Jarman, R.
The inhibition effect of sodium molybdate on the initiation of corrosion fatigue of 1020 mild steel in aqueous solution 99(1994)113

Husain, A., Hassan, A., Al-Gobaisi, D.M.K., Al-Radif, A., Woldai, A. and Sommariva, C. Modelling, simulation, optimization and control of multistage flash (MSF) desalination plants: Part I. Modelling and simulation 92(1993)21

Husain, A., Woldai, A., Al-Radif, A., Kesou, A., Borsani, R., Sultan, H. and Deshpandey, P.B. Modelling and simulation of multistage flash (MSF) desalination plant 97(1994)555

Husain, T., Khan, H.U. and Khan, S.M.
Evaluation of water resources alternatives in Saudi Arabia in multi-objective framework 81(1991)77

I

Ibrahim, J., see Mukhamer, S. 93(1993)633 Ikeda, K. and Tomaschke, I.

Noble reverse osmosis composite membrane 96(1994)113

Ikeda, T., Muragishi, H., Bairinji, R. and Uemura, T.

Advanced reverse osmosis membrane modules for novel ultrapure water production process 98(1994)391

Iljushchenko, V.V., Rosen, A.M. and Golub, S.I. General approach to the drop entrainment calculation in heat- and mass-transfert apparatus 81(1991)383 Ilyushchenko, V.V., Podbereznyi, V.L. and Golub, S.I.

Influence of spray density on coefficient of gas dynamic resistance for tube bundles of different configuration 74(1989)383

Ilyushchenko, V.V., Podbereznyi, V.L. and Golub, S.I.

Interaction of spraying liquid and vapour in horizontal tube film evaporators 74(1989)391

Imai, H., see Ayyash, Y. 96(1994)215

Imai, H., see Muhurji, M. 76(1989)75

Imai, K., see Ishiguro, K. 98(1994)119

Imai, M., see Saitoh, T. 98(1994)249

Iman, S. and Begum, S.

The Yathrib system 96(1994)119

Immelman, E., see Sanderson, R.D. 90(1993)15

Immelman, E., Bezuidenhout, D., Sanderson, R.D., Jacob, E.P. and van Reenen, A.J. Poly(vinyl alcohol) gel sub-layers for reverse osmosis membranes. III. Insolubilization by crosslinking with potassium peroxydisulphate 94(1993)115

Immelman, E., Sanderson, R.D., Jacob, E.P. and van Reenen, A.J.

Poly(vinyl alcohol) gel sub-layers for reverse osmosis membranes. II. Insolubilization by crosslinking with poly(methyl vinyl ether-alt-maleic anhydride) 94(1993)37

Indusekhar, V.K., see Adhikari, S.K. 84(1991)189 Indusekhar, V.K., see Narayanan, P.K. 84(1991)201

Indusekhar, V.K., Trivedi, G.S. and Shah, B.G. Removal of nitrate by electrodialysis 84(1991)213

Inoue, G., see Futakawa, M. 98(1994)345

Inoue, G., see Shindo, N. 98(1994)155

Ishida, Y., see Higuchi, A. 90(1993)127

Ishiguro, K., Imai, K. and Sawada, S.

Effects of biological treatment condition on
permeate flux of LIE membrane in a mem-

permeate flux of UF membrane in a membrane/activated-sludge wastewater treatment system 98(1994)119

Ishii, T., see Okabe, T. 93(1993)235

Ishimaru, N.

Solar photovoltaic electrodialysis desalination for brackish water in remote areas 98(1994)485

Ismail, A.

Robust control with engineering applications: an overview 92(1993)57

Isnasious, E.Z., see Al Kebti, F.S. 93(1993)259 Iso, S., Suizo, S. and Maeijma, A.

The lethal effect of hypertonic solution and avoidance of marine organisms in relation to the discharged brine from a desalination plant 97(1994)389

Isobe, K., see Fukumoto, Y. 83(1991)65 Itoh, S., Suzuki, A., Nakamura, T. and Yokoyama, S.

Iwahori, H., see Tasaka, K. 96(1994)259

Production of heavy oil from sewage sludge by direct thermochemical liquefaction 98(1994)127 Iwahashi, H., see Fujiwara, N. 96(1994)431 Iwahashi, H., see Kumano, A. 96(1994)451 Iwahashi, H., see Nada, N. 96(1994)283 Iwahashi, H., see Nagai, M. 96(1994)291

J

Jabboury, B.G. and Darwish, M.A.
An interactive approach to combine desalting and power plants analysis 84(1991)106
Jackson, G., see Blank, H.G. 99(1994)233
Jacob, E.P., see Immelman, E. 94(1993)115
Jacob, E.P., see Immelman, E. 94(1993)37
Jacob, E.P., see Van Reenen, A.J. 85(1992)263
Jacobs, E.P., see Hurndall, M.J. 86(1992)135
Jacobs, E.P., see Hurndall, M.J. 89(1992)203
Jacobs, E.P., see Hurndall, M.J. 90(1993)41
Jacobs, E.P., see Sanderson, R.D. 90(1993)15
Jaffer, A., see Baggott, S.R. 83(1991)119
Jaffer, A.E.

The application of a novel chemical treatment program to mitigate scaling and fouling in reverse osmosis units 96(1994)71

Jarman, R., see Husain, A. 99(1994)113 Jasner, M.

Application of an austenitic nitrogen-alloyed 6Mo stainless steel for seawater desalination (RO) and waste water treatment 84(1991)335 Jau-Kai Wang, see Ting-Chia Huang 86(1992)257 Jawad, M.A.

Future for desalination by reverse osmosis 72(1989)23

Jeday Razar, M., see Le Goff, P. 82(1991)153 Jensen, J.B., see Sorensen, T.S. 80(1991)293

Ji, J., Fei, M., Fan, G., Chen, J., Li, G. and Xiu, W.

The nucleation of organic additives in membrane casting solution (I). The theory and direct evidence 85(1992)297

Jiang, J. and Jianyan, C.

Study on interactions between PBIL membranes and organic solutes 78(1990)389

Jiang, J., Minghi, S., Minling, F. and Jiayan, C. Study on the interaction between membranes and organic solutes by the HPLC method 71(1989)107

Jianhua, J., see Yurong, L. 83(1991)375 Jianyan, C., see Jiang, J. 78(1990)389 Jiayan, C., see Jiang, J. 71(1989)107 Jihua, H., Wentong, W., Puchen, Y. and

Oingshuang, Z.

The preparation of quaternized polysulfon membranes for low pressure reverse osmosis 83(1991)361

Jirka, G., see Del Bene, J.V. 97(1994)365

Johnson, R.A., see Sheng, J. 80(1991)113

Johnson, W., see Vaid, A. 83(1991)137

Jones Jr., J.E., see Hammond, R.P. 87(1992)69

Jones Jr., J.E., see Hammond, R.P. 99(1994)459

Jönsson, A., see Linde, K. 101(1995)21 Jönsson, A.S. and Trägårdh, G.

Ultrafiltration applications 77(1990)135 Jönsson, G., see Barba, D. 71(1989)137

Joshi, S.E. and Rao, A.V.

Synthesis and evaluation of poly(m-phenylene isophthalamide) as a reverse osmosis membrane 78(1990)355

Judges, P.D., see Ali, G. 76(1989)27 Julka, A., see Carew, J. 74(1989)85 Julovik, U., see Obermeyer, H.D. 90(1993)161 Jung, D., see Baumgartner, T. 81(1991)299 Jurae, K., see Hassan, M.S. 71(1989)347 Juwayel, F., see Younis, M.A. 94(1993)11

K

Kain, R.M., see Oldfield, J.W. 84(1991)227 Kamal, I.

Cogeneration desalination with reverse osmosis: a means of augmenting water supplies in Southern California 88(1992)355

Kamal, I., see Sims, G.V. 94(1993)251

Kamal, I., Schneider, W. and Tusel, G.F.

Process arrangements for hybrid seawater desalination plants 76(1989)323

Kamaluddin, B.A., Khan, S. and Makkawi-Ahmed, B.

Selection of optimally matched cogeneration plants 93(1993)311

Kamel, M. I., see Ali El Saie, M.H. 73(1989)207

Kamiyama, Y., see Tasaka, K. 96(1994)259

Kanekuni, N., see Murata, M. 98(1994)217 Kang, M., see Calabro, V. 78(1990)257

Vannas T. see Calabio, V. 76(1990)237

Kanner, T., see Ahmed, S.R. 74(1989)69

Kantsos, E.T., see Caouris, Y.G. 71(1989)177

Karaghouli, A.A, see Al-Abbasi, M.A. 86(1992)317

Karakane, H., see Tsuyumoto, M. 80(1991)139

Karshman, S.A., see El-Twaty, A.I. 73(1989)385

Kashida, K., see Kohsaka, K. 73(1989)429

Kashida, K., Morisaki, S., Oshiyama, M., Suzuki, K. and Yamamoto, M.

Application for light gauge titanium tube in a MSF type seawater desalination plant. A succesful fixing procedure of light gauge titanium tubes into copper alloy of tube sheets 97(1994)147

Kastelan-Kunst, L., Sambrailo, D. and Kunst, B. On the skinned cellulose triacetate membranes formation 83(1991)331

Kato, K., see Borashid, K. 73(1989)277

Katoh, M., see Futamura, O. 98(1994)17

Katsifarakis, K.L.

Solar distillation treatment of landfill leachate. A case study in Greece 94(1993)213

Katsura, T., see Tasaka, K. 96(1994)259

Katz, W.E.

Drought-proofing in Southern California by seawater desalting is economic today 86(1992)1

Kawahara, T.

Construction and operation experience of a largescale electrodialysis water desalination plant 96(1994)341

Kawanishi, T., Matsumoto, S., Horii, Y. and Masuzaki, M.

Desalination for landfill leachates containing condensed inorganic salts 97(1994)415

Kawazoe, K., see Shindo, N. 98(1994)155

Kejun, X., Shichang, W. and Yaozhong, Y. Solutions for problems in corrosion and environmental impact on 2x3000 m3/d MSF desalination plants 97(1994)159

Keller, L., see Volchek, K. 89(1993)247

Kerres, J., see Strathmann, H. 77(1990)259

Kesou, A., see Husain, A. 92(1993)43

Kesou, A., see Husain, A. 97(1994)555

Kessler, H.G., see Obermeyer, H.D. 90(1993)161

Vessler, H.G., see Obernieyer, H.D. 90(1993)172

Kessler, H.G., see Schwab, C. 90(1993)173

KHalaf, S., see Al-Sofi, M.A.K. 73(1989)313 Khalaf, S. and Al Alawi, A.

Maintenance philosophy and approach for a dual purpose plant 96(1994)273

Khalil, A.

Dehumidification of atmospheric air as a potential source of fresh water in the UAE 93(1993)587

Khan, A.R., see Al-Saleh, S.A. 97(1994)87

Khan, A.R., see Al-Saleh, S.A. 97(1994)97

Khan, H.U., see Husain, T. 81(1991)77

Khan, M.M.A., see Al-Saati, A.J. 82(1991)141

Khan, S.M., see Husain, T. 81(1991)77

Khater, A., Dannish, S. and Al-Ansari, N. Privatisation as a financing alternative for desalination plants in Bahrain 97(1994)281

Khawaji, A.D. and Wie, J.M.

Potabilization of desalination water at Madinat Yanbu Al-Sinaiyah 98(1994)135

Khedr, M.G.A., Badran, M.M.H. and

El Azhari, A.A.
Pitting corrosion behavior of aluminium in water

desalination plants 72(1989)351 Khordagui, H., see El-Shal, W. 99(1994)149 Khorfan, S.

The influence of pollution on desalination 93(1993)443

Khow, J., see Rachwal, A.J. 97(1994)427

Kiefer, C.A., see Colon, W.J. 78(1990)157

Kikuchi, K., see Ohta, K. 78(1990)177

Kimmerle, K. and Strathmann, H.

Analysis of the structure-determining process of phase invertion membranes 79(1990)283

Kimrey, J.O.

Artificial recharge of groundwater and its role in water management 72(1989)135

Kimura, S., see Ohta, K. 78(1990)177

Kimura, S., see Ohta, K. 81(1991)107

Kimura, S., see Toyama, S. 82(1991)221

Kimura, S., see Tsuru, T.T. 81(1991)219

Kimuro, H., see Murata, M. 98(1994)217

Kipps, J.A.L., see Hayes, D.W.J. 88(1992)301

Kiriyama, K., Tanaka, Y. and Mori, I.

Field test on a methane fermentation treatment system incorporating a membrane module for municipal sewage 98(1994)199

Kitaoka, K., see Kohsaka, K. 73(1989)429

Kiyozuka, M., see Shirahama, E. 98(1994)505

Klinge, H., see Bender, H. 72(1989)161

Klinko, K., see Wilf, M. 96(1994)465

Klyikov, D.M., see Vasjukov, V.I. 89(1992)21

Kobayashi, S., see Murase, K. 73(1989)111

Kohsaka, K., Kitaoka, K., Masuyama, Y., Oshiyama, M., Yamamoto, M. and Kashida, K. Light gauge welded titanium tubes for seawater desalination plants 73(1989)429

Kollbach, J.St., see Rautenbach, R. 81(1991)285

Kominek, O., see Mavrov, V. 91(1993)225

Kondo, M. and Sato, H.

Treatment of wastewater from phenolic resin process by pervaporation 98(1994)147

Kong, Y., see Wu, Y. 80(1991)235

Konieczny, K., see Bodzek, M. 80(1991)43

Konieczny, K., see Bodzek, M. 94(1993)81

Konieczny, K. and Bodzek, M.

Ultrafiltration of demineralized water containing colloidal silica 79(1990)145

Konievzky, K., see Bodzek, M. 94(1993)261

Konievzky, K., see Bodzek, M. 94(1993)289

Kopp, C., see Vaid, A. 83(1991)137

Kopp, W., see Rautenbach, R. 72(1989)339

Koren, A. and Nadav, N.

Mechanical vapour compression to treat oil field produced water 98(1994)41

Korin, E., see Korngold, E. 91(1993)187

Korngold, E. and Korin, E.

Air sweep water pervaporation with hollow fiber membranes 91(1993)187

Korngold, E. and Volfi, D.

Water desalination by ion-exchange hollow fibers 84(1991)123

Korngold, E.

Iron removal from tap water by a cation exchanger 94(1993)243

Koter, S.

Analysis of an electrodialysis unit on the basis of irreversible thermodynamics 95(1994)139

Koushiri, H. and Kubo, Y.

The use of hollow fiber filters to improve condendate purification efficiency in thermal power plants 98(1994)361

Koutsoukos, P.G., see Dalas, E. 78(1990)403

Kramer, B., see Van Dijk, J.C. 81(1991)229

Kremen, S., Wilf, M. and Lange, P.

Operating results and economics of single stage and two- stage large size sea water reverse osmosis systems 82(1991)15

Kroner, K.H., see Riesmeier, B. 77(1990)219 Kronmiller, D.L.

What every reverse osmosis water system manager should know 98(1994)401

Krumbholz, Ch., see Gudernatsch, W. 79(1990)249

Kubo, Y., see Koushiri, H. 98(1994)361

Kudela, V., see Bleha, M. 86(1992)173

Kuepper, T., see Silbernagel, M. 88(1992)311

Kugawa, Y., see Honda, T. 98(1994)327

Kula, M.R., see Riesmeier, B. 77(1990)219

Kulkarni, B.D., see Selvaraj, R. 101(1995)185

Kulozik, U., see Schwab, C.90(1993)173

Kumano, A., see Fujiwara, N. 96(1994)431

Kumano, A., Matsui, Y., Numata, K., Fujiwara, N., Iwahashi, H. and Nagai, M.

Performance change formula of cellulose

triacetate hollow fiber RO membranes due to oxidation and hydrolysis 96(1994)451

Kumar, A., see Adhikari, R.S. 91(1993)1

Kunst, B., see Kastelan-Kunst, L. 83(1991)331

Kunst, B., see Sambrailo, D. 81(1991)209

Kupcu, S.S., Sara, M. and Slevtr, U.B.

Influence of covalent attachment of low molecular weight substances on the rejection and adsorption properties of crystalline proteinaceous ultrafiltration membranes 90(1993)65

Kupitz, J., see Aboughalya, E.D. 81(1991)505

Kupitz, J. and Criins, M.J.

Perspectives of nuclear energy for seawater desalination 99(1994)299

Kurdali, A., see Husain, A. 92(1993)43

Kurdali, A., see Rao, G.P. 97(1994)507

Kurdali, A., Woldai, A. and Al-Gobaisi, D.M.K. Knowledge based systems for desalination processes 92(1993)295

Kurihana, M., Fusaoka, Y., Sasaki, T., Bairinji, R. and Uemura, T.

Developement of crosslinked fully aromatic polyamide ultra-thin composite membranes for seawater desalination 96(1994)133

Kurilova, E.B., see Rifert, V.G. 96(1994)183 Kusumoto, H., see Tanaka, S. 96(1994)191 Kutbi, I.I.

A systematic approach for detection of malfunctions in equipment of nuclear desalination plants during operation 81(1991)451

Kutbi, I.I. and Al Sulaiman, K.M.

Features of nuclear desalination systems for Saudi Arabia 97(1994)327

Kutowy, I., see Tam, C.M. 89(1993)275

Kutowy, O., see Fouda, A.E. 90(1993)209

Kuznetsova, I.K., see Orlov, N.S. 84(1991)213

Kwang, Won Seul and Sang, Yong Lee

Effect of liquid level on flow behaviors inside a multi-stage flash evaporator - a numerical prediction 85(1992)161

L

Labar, M.P., Schleicher, R.W., Loh, G. and Walters, A.

Power and water co-production feasibility study of Florida power and light power plants 88(1992)267

Labayru, R., see White, D.A. 84(1991)177 Lai, L.L., see Abdulbary, A.F. 92(1993)323 Langdown, D.J., see McGlone, K.J. 96(1994)397 Lange, P., see Kremen, S. 82(1991)15

Lange, P.H., Laverty, P.E., Edwards, E.D. and Watson, I.

THM precursor removal and softening Ft. Myers 12 MGD RO membrane plant, Florida, U.S.A. 76(1989)39

Larger, D., see Morsy, H. 96(1994)59 Largier, J., see Del Bene, J.V. 97(1994)365

Lariviere, J.A. see Yeh, G.C. 81(1991)129 Larson, R., Albers, W., Beckman, J. and Freeman, S.

The carrier-gas proces- a new desalination and concentration technology 73(1989)119

Latapi, F.E., see Fernandez, C.A. 73(1989)61

Latif, N.A., Al-Awadi, F.M. and Colenutt, B.A. Trihalomethanes (THMs) formation in multistage flash (MSF) distillation plants 74(1989)205

Lau, W.W.Y., see Wang, Y. 95(1994)155

Laverty, P.E., see Lange, P.H. 76(1989)39

Lawrence, S.A., see Tiwari, G.N. 85(1992)135 Lazare, L.

The Puraq seawater desalisation process - an update 85(19921)361

Le Goff, J., see Le Goff, P. 82(1991)153

Le Goff, P., Le Goff, J. and Jeday Razar, M. Development of a rugged design of high efficiency multi-stage solar still 82(1991)153

Leahy III, T.M., see Smith, B.E. 78(1990)99

Lebedev, A.H., see Lebedeva, O.H. 73(1989)457

Lebedeva, O.H., Lebedev, A.H., Fokin, M.N.,

Lomakina, S.V., Severona, T.A. and Gromov, B.A.

Corrosion behaviour of aluminium-base alloys in desalination plants 73(1989)457

Lee, S., see Seul, K. 79(1990)13

Lefebvre, M.S., see Sheng, J. 80(1991)113

Lefebvre, M.S., see Sheng, J. 91(1993)253

Leitner, G.F.

Costs for seawater desalination in real terms, 1979 through 1989, and projections for 1999 76(1989)201

Leitner, G.F.

Total water costs on a standard basis for three large, operating SWRO plants 81(1991)39

Leitner, G.F. and Leitner, W.

Life cycle and present worth cost concepts, application for large desalting plants? 97(1994)291

Leitner, W.

Potable water desalination in the U.S. Capital costs, operating costs and water selling prices 88(1992)279

Leitner, W., see Leitner, G.F. 97(1994)291

Leksovskaia, N.P., Chereisky, Z.Yu., Ruban I.G. and Nachinkin, O.I.

Effect of the solution-gel-solid system transition on the properties of microfiltration membranes 86(1992)91

Leon, J., see Gregorzewski, A. 82(1991)145

Lewis, J.W., Ferrara, C.M. and Watson, I.C.

Desalting oil field by-product water 87(1992)229

Levsen, R., see Doven, W. 79(1990)163

Li, G., see Ji, J. 85(1992)297

Li, O., see Yu, B. 90(1993)335

Li-Ning, W., see Yu-Rong, L. 96(1994)145

Liang, O.B., see Radiman, C.L. 93(1993)273

Liberti, L. and Lopez, A.

Strategy for wastewater reuse for agriculture in Southern Italy 83(1991)173

Light, W.G., see Sulpizio, T.E. 74(1989)187

Lin, B.Y., see Hsieh, K.H. 71(1989)97

Linde, K., Jonssön, A. and Wimmerstedt, R. Treatment of three types of landfill leachate with reverse osmosis 101(1995)21

Linder, C., see Perry, M. 71(1989)233

Lindheimer, A., see Chapotot, A. 101(1995)141

Lindheimer, A., see Pourcelly, G. 80(1991)193

Lindheimer, A. Boudet-Dummy, M. and Gavach, C. Electrodialysis of hydrochloric acid 94(1993)151

Lining, W., see Yurong, L. 83(1991)375

Linnikov, O.D., Podbereznyi, V.L. and Rodina, I.V. Inhibition of scale formation from natural salt waters. Inhibitor effect on chemical composition of the forming scale 82(1991)359

Linnikov, O.D., Podbereznyi, V.L., Anokhina, E.A. and Guseva, O.V.

Efficiency of two scale prevention methods for desalting Caspian seawater 89(1993)311

Linnikov, O.D., Podbereznyi, V.L., Belyshev, N.A., Balakin, V.M. and Talankin, V.S. Inhibition efficiency of scale formation by chemical additives 74(1989)355

Lior, N., see Miyatake, O. 91(1993)51

Lipp, P., Gorge, B. and Gimbel, R.

A comparative study of fouling-index and fouling-potential of waters to be treated by reverse osmosis 79(1990)203

Liu, J., see Wu, Y. 80(1991)235

Liu, T., Xu, S., Zhang, D., Sourirajan, S.

and Matsuura, T.

Pore size and pore size distribution on the surface of polyethersulfone hollow fiber membranes 85(1991)1

Livnat, A.

Desalination in Israel: emerging key component in the regional water balance formula 99(1994)275

Loewy, T.

The case for seawater desalination to solve the water shortage in the Gaza Strip 99(1994)447

Loh, G., see Labar, M.P. 88(1992)267

Lohman, E.M.

Operating report of the largest reverse osmosis desalting plant 96(1994)349

Lomakina, S.V., see Lebedeva, O.H. 73(1989)457

Lopez, A., see Liberti, L. 83(1991)173

Lopez, V., see Chapotot, A. 101(1995)141

Lora, J. and Arnal, J.M.

The effect of agitation on reverse osmosis desalination 79(1990)261

Low, S.C. and Tay, J.H.

Vacuum desalination using waste heat from a stream turbine 81(1991)321

Lozier, J.C., Smith, G., Chapman, J.W. and Gattis, D.E.

Selection, design and procurement of a demineralization system for a surface water treatment plant 88(1992)3

Lozier, J., Oklejas, E. and Silbernagel, M.

The hydraulic turbocharger: A new type of device for the reduction of feed pump energy consumption in reverse osmosis systems 75(1989)71

Lu, H.S., see Chen, J. 97(1994)319

Luteneske, N.E., see Forgach, D.J. 80(1991)275 Luu, C.A.

Improved chelators and sequestrants for Army Reverse Osmosis Water Purification Units (ROWPUs) 97(1994)165

M

Maaje, A.Y.

Solar still performance 82(1991)207

Mabrook, B.

Environmental impact of waste brine disposal of desalination plants, Red Sea, Egypt 97(1994)453

Mabrouk, B., see El Sadek, S. 88(1992)161 Mace, B.

Design of compact, containerized desalination plants 76(1989)53

Macoun, R., see Schofield, R.W. 77(1990)279 Madani, A.A.

Economics of desalination for three plant sizes 78(1990)187

Madani, A.A.

Zero-discharge direct-contact freezing/solar evaporator desalination complex 85(1992)179

Madani, A.A. and Aly, S.E.

A combined RO/freezing system to reduce inland rejected brine 75(1989)241

Madani, A A. and Zaki, G M. Prospective of two small water producing units 73(1989)167

Madsen, R.F., Thomassen, J.R., Vial, D. and Binot, R.A.

The proposal for the completely closed system in the Columbus Space Station 83(1991)123

Maeda, Y., see Tsuyumoto, M. 80(1991)139

Maejima, A., see Iso, S. 97(1994)389

Maheshwari, G.P., see Suri, R.K. 71(1989)165

Maheshwari, G.P., Al-Ramadhan, M. and Al-Abdulhadi, M.

Energy requirement of water production in dualpurpose plants 101(1995)133

Majewska-Nowak, K.

Synthesis and properties of polysulfone membranes 71(1989)83

Majewska-Nowak, K., Winnicki, T. and Wisniewski, J.

Effect of flow conditions on ultrafiltration efficiency of dye solutions and textile effluents 71(1989)127

Majewska-Nowak, K., Wisniewski, J. and Winnicki, T.

Formation of UE rod-type membranes

Formation of UF rod-type membranes 78(1990)417

Majewska-Nowak, K., Wisniewski, J. and Winnicki, T.

Modification of the properties of rod-type membranes by varying typical parameters of the casting process for phase inversion membranes: a comparative study 89(1992)47

Makkawi, B., see Shams El Din, A.M. 97(1994)373 Makkawi-Ahmed, B. and Damodaram, A.

An approach to improving the effectiveness of a large-scale complex utility organization 93(1993)365

Makwana, B.S., see Narayanan, P.K. 84(1991)201 Malek, A., Hawlader, M.N.A. and Ho, J.C.

A lumped transport parameter approach in predicting B 10 RO permeator performance 99(1994)19

Malek, A., Hawlader, M.N.A. and Ho, J.C. Simplified Ohya-Soupirajan analysis for predicting permeator performance 91(1993)265

Malewar, C.G., see Bal, A.S. 83(1991)325

Malik, A.L.A., Younan, N.G., Rao, B.J.R. and Mousa, K.M. Skid mounted mobile brackish water reverse osmosis plants at different sites in Kuwait 75(1989)341

Malik, A.U., see Hassan A.M. 74(1989)157

Malik, A.U. and Al-Fozan, S.A.

Localized corrosion of AISI 316L S.S in Arabian Gulf seawater 97(1994)199

Malik, A.U., Mayan Kutty, P.C., Andijani, I.N. and Al-Fozan, S.A.

Materials performance and failure evaluation in SWCC MSF plants 97(1994)171

Malik, A.U., Siddiki, N.A. and Andijani, I.N. Corrosion behavior of some highly alloyed stainless steels in seawater 97(1994)189

Malmgren-Hansen, B., see Sorensen, T.S. 80(1991)293

Manolov, S., see Mayrov, V. 83(1991)289

Manwell, J.F. and McGowan, J.G.

Recent renewable energy driven desalination system research and development in North America 94(1993)229

Marinos-Kouris, D., see Fountoukidis, E. 72(1989)293

Marinos-Kouris, D., see Fountoukidis, E. 79(1990)47

Marinos-Kouris D., see Papafotiou, K. 82(1991)131

Marinov, M., see Velikova, S. 91(1993)293 Marks, G., see Watson, B. 96(1994)369

Maroulis, Z., see Fountoukidis, E. 79(1990)47

Maroulis, Z.B., see Fountoukidis, E. 72(1989)293

Marrelli, L., see Barba, D. 71(1989)137

Marrelli, L., see Barba, D. 71(1989)289

Marshall, A.D., Munro, P.A. and Trägårdh, G. The effect of protein fouling in microfiltration and ultra-filtration on permeate flux, protein retention and selectivity: A literature review 91(1993)65

Martin, C.J.

Remediation of groundwater contaminated by olive processing waste 88(1992)253

Martynova, O.I., Vasina, L.G., Boglovsky, A.V. and Gyseva, O.V.

Alkaline scale formation restriction in desalination plants by means of antiscalant additives 83(1991)55

Martynova, O.I., Vasina, L.G., Boglowsky, A.V. and Govert, A.A.

Effect of the correction of the second dissociation constant of carbonic acid on carbonate equilibrium calculations 71(1989)337

Marwan, M.A.

Short-cut method for estimating membrane number, product salinity and replacement ratio 94(1993)201

Masahiro, H. and Yoshioka, T. Studies of ion-exchange fiber "IONEX" for precoating material 91(1993)319

Masarczyk, J., Hansson, C.H., Solomon, R.L. and Hallmans, B. Desalination plant at KWK Debiensko, Poland:

Advanced mine drainage water treatment engineer-

ing for zero discharge 75(1989)259

Maschlanka, J., see Geghardt, F. 96(1994)89 Maslehuddin, M., see Saricimen, H. 78(1990)327

Massarani, A. and Fusetti, F.

Some design and monitoring criteria for large/medium MSF plants 92(1993)377

Masuyama, Y., see Kohsaka, K. 73(1989)429

Masuzaki, M., see Kawanishi, T. 97(1994)415

Mathew, K., see Robinson, R. 86(1992)9

Matsui, Y., see Kumano, A. 96(1994)451

Matsui, Y., see Nita, K. 96(1994)33

Matsumoto, K., see Zhou, J. 80(1991)15

Matsumoto, S., see Kawanishi, T. 97(1994)415

Matsuura, T., see Fouda, A.E. 90(1993)209

Matsuura, T., see Liu, T. 85(1991)1

Matsuura, T., see Zhang, S.Q. 80(1991)211

Mavrov, V., see Velikova, S. 91(1993)293

Mayrov, V., see Velikova, S. 94(1993)1

Mayrov, V. and Velikova, S.

Transport characteristics of the reverse osmosis thin film composite membranes 83(1991)279

Mavrov, V., Dobrevsky, I., Bonev, B. and Petkov, N.

Effect of magnesium hydroxide (or hydrated MgO) formed under alkaline conditions on brackish water pretreatment for reverve osmosis 85(1992)335

Mavrov, V., Mavrova, Zh., Georgieva, V. and Bonev, B.

Condensate re-use by ultrafiltration oil removal 83(1991)195

Mavrov, V., Petrova, I., Davarsky, K. and Manolov, S.

Studies of the UF-25-PAN membrane characteristics in the complexing-UF process of Cu, Ni, and Co with polyvinylalcohol 83(1991)289

Mavrov, V., Pusch, W., Kominek, O. and Wheelwright, S.

Concentration polarization and water splitting at electrodialysis membranes 91(1993)225

Mavrova, Zh., see Mavrov, V. 83(1991)195

May, S., see Awerbuch, L. 76(1989)189

Mayan Kutty, P.C., see Malik, A.U. 97(1994)171

Mayankutty, P.C., Nomani, A.A. and Thankachan, T.S.

Carry over of some high molecular weight organics from seawater to MSF distillates 97(1994)401

Mayankutty, P.C., Nomani, A.A. and Thankachan, T.S.

Monitoring of organic compounds in feed and product water samples from MSF plants in the Eastern coast of Saudi Arabia 74(1989)243

Mc Gregor, I.D. and Barton, A.

Factors affecting the useful economic life of large MSF distillers 93(1993)387

McCarthy, A.M., see Yeh, G.C. 81(1991)161

McDonogh, R.M., Bauser, H., Stroh, N. and Chmiel, H.

Concentration polarisation and adsorption effects in cross—flow ultrafiltration of proteins 79(1990)217

McGlone, K.J., Darton, E.G., Langdown, D.J. and Rahman, A.

Factors affecting the design of a pre-treatment system for a 1,200 m3/d RO plant in Riyadh, Saudia Arabia with an iron-rich, 60ofeed water 96(1994)397

McGowan, J.G., see Manwell, J.F. 94(1993)229 McGragor, I.D. and Moore, H.

Improvement in distiller production and performance ratio after modification of the stage venting system 93(1993)159

McHaney, S.X.

Satellite wastewater reclamation plants: how to get what you bargain for 88(1992)215

McLellan, F., see Dal-Cin, M.M. 101(1995)155 Mehandjiev, M.R.

Membrane desalination and water re—use technologies improvement by thermodynamics of accumulation processes regulatories 83(1991)245

Mehta, M.H., see Tare, M.M. 81(1991)57

Mehta, M.H., see Velikova, S. 94(1993)1

Melaxos, P.J. and Morin, O.J.

Surface water discharge of reverse osmosis concentrates 78(1990)27

Melli, T., see Montagna, J.M. 81(1991)437 Mellis, R., see Rautenbach, R. 101(1995)105 Mellis, R., see Rautenbach, R. 95(1994)171 Menon, K.S. and Spencer, H.G.

Modeling multiion transport in hyperfiltration membranes with fixed charges 80(1991)31

Meyer-Blumenroth, U., see Rautenbach, R. 77(1990)295

Miah, M.R.

Chemical tests for proper unit operation of water purification plant by membrane and ion exchange techniques 93(1993)431

Micale, G., see Zannoni, R. 82(1991)337 Michels, T.

Recent achievements of low temperature multiple effect desalination in the western areas of Abu Dhabi, UAE 93(1993)111

Middleton, E., see Humphries, J.R. 99(1994)329

Miezis, Y., see Sivik, B. 77(1990)181

Mikulasek, P. and Cakl, J.

Removal of industrial latex dispersions from waste waters using microporous alumina membranes 95(1994)211

Millequant, M., see Baudin, I. 86(1992)237

Miller, G.A. and Pontek, R.

Case study: Marin County, Florida. A utility's experience developing a new reverse osmosis treatment system 87(1992)249

Milliken, J.G.

Water resources management in arid climates 72(1989)173

Mills Jr., W.R. and Watson, I.C. Water Factory 21–The logical sequence 98(1994)265

Minami, K.

A trial of high performance anaerobic treatment on wastewater from a kraft pulp mill 98(1994)273

98(1994)273 Minasian, A.N., see Al-Abbasi, M.A. 86(1992)317 Minato, A., see Hattori, S. 99(1994)345 Minghi, S., see Jiang, J. 71(1989)107

Minling, F., see Jiang, J. 71(1989)107

Misra, B.M., see Prabhakar, S. 73(1989)37

Misra, B.M., see Sadhukhan, H.K. 96(1994)249

Missimer, T.M.

Groundwater as a feedwater source for membrane treatment plants: hydrogeologic controls on water quality variation with time 98(1994)451

Missimer, T.M., Walker, C.W. and Bloetscher, F. Use of aquifer storage and recovery technology to improve membrane water treatment plant efficiency, Collier County, Florida 87(1992)269

Mitcheson, G.R., see Hick., D.C. 73(1989)81

Miur, J.W.H., see Finan, M.A. 73(1989)341

Miura, M. and Harada, K.

Application of concentrator on the treatment of industrial waste water 98(1994)375

Miyatake, O.

Comparative study of flash evaporation rates 96(1994)163

Miyatake, O., Hashimoto, T. and Lior, N.
The relationship between flow pattern and thermal non-equilibrium in the multi-stage flash evaporation process 91(1993)51

Moch, I., Jr.

A twenty year case history—the B–9 hollow fiber permeator 74(1989)171

Moch, I., Jr., see Ahmed, A.M. 82(1991)3

Moch, I., Jr., see Eckman, T.J. 96(1994)11

Mochizuki, S., see Palecek, S.P. 90(1993)147

Mody, R.C., see Rangarajan, R. 85(1991)81

Mogilner, I.D., see Barinov, V.V. 88(1992)179

Mohammed, R.A., see Shams El Din, A.M. 71(1989)313

Mohammed, R.A., see Shams El Din, A.M. 99(1994)73

Mohan, D., see Rangarajan, R. 85(1991)81

Moie, L., see Changluo, Z. 71(1989)1

Molena, J., see Salem, K. 101(1995)123

Molenat, J., see Elmidaoui, A. 101(1995)39

Molinari, R., see Calabro, V. 78(1990)257

Mollica, A., see Sommariva, C. 97(1994)53

Montagna, J.M., Scenna, N.J. and Melli, T. Some theoretical aspects in simulation of multi-

ple stage desalination systems 81(1991)437 Moody, C.D., see Ammerlaan, A.C.F. 88(1992)33

Moody, C.D., see Ammerlaan, A.C.F. 96(1994)421

Moody, C.D., see Murphy, A.P. 91(1993)199

Moody, C.D., see Suemoto, S.H. 96(1994)43

Moore, H., see McGragor, I.D. 93(1993)159

Mora, J.C., see Sheng, J. 80(1991)71

Mori, I., see Kiriyama, K. 98(1994)199 Morin, O.J.

Design and operating comparison of MSF and MED systems 93(1993)69

Morin, O.J., see Hess, G. 87(1992)55

Morin, O.J., see Melaxos, P.J. 78(1990)27

Morisaki, S., see Kashida, K. 97(1994)147

Moriyama, N. see Fukumoto, Y. 83(1991)65 Morris, R.M.

The development of the multi-stage flash distillation process: A designer's viewpoint 93(1993)57

Morrison, G.L., see Hogan, P.A. 81(1991)81

Morsi Abou El Ela, M.

New and developed material and chemicals in desalination technology 93(1993)529

Morsy, H., Larger, D. and Genthner, K. A new multiple–effect distiller system with compact heat exchangers 96(1994)59

Morsy, M.G.

Towards less expensive fresh water from the sea 93(1993)397

Motomi, K., see Oikawa, E. 101(1995)69

Mottar, J., see Doyen, W. 79(1990)163

Mousa, K.M., see Malik, A.L.A. 75(1989)341

Mrowiec-Bialon, J., see Turek, M. 101(1995)57

Muhurji, M., Faggard, G., Van Der Mast, V. and Imai, H.

Jeddah 1 RO plant-phase 1:15 MGD reverse osmosis plant 76(1989)75

Mukhamer, S. and Ibrahim, J.

Egyptian experience in utilizing recycled water for irrigation purposes 93(1993)633

Munari, S., see Abaticchio, P. 78(1990)235

Munari, S., Bottino, A., Camera Roda, G. and Capannelli, G.

Preparation of ultrafiltration membranes. State of the art 77(1990)85

Muniz, A. and Skehan, S.T.

Disposal of concentrate from brackish water desalting plants by use of deep injection wells 78(1990)41

Munneke, B.R., see Van Dijk, J.C. 81(1991)229

Munro, P.A., see Marshall, A.D. 91(1993)65

Muragishi, H., see Ikeda, T. 98(1994)391

Murakami, M.

Hydro-powered reverse osmosis (RO) desalination for co-generation: A Middle East case study 97(1994)301

Murakami, M.

Water for peace master plan of the Jordan river system 98(1994)459

Muramoto, S. and Nishino, J.

An advanced purification system combining ozonation and BAC, developed by The Bureau of Waterworks, Tokyo Metropolitan government 98(1994)207

Murase ,K., see Toyama, S. 82(1991)221

Murase, K., Kobayashi, S., Nakamura, M. and Toyoma, S.

Development and application of a roof type solar still 73(1989)111

Murata, M., Kimuro, H., Kanekuni, N., Ohkuma, N., Ogasawara, H.
Small-scale sewage plant experiment by pretreatment and methanization of suspended solid

98(1994)217 Murphy, A.P.

Deterioration of cellulose acetate by transition metal salts in aqueous chlorine 85(1991)45

Murphy, A.P., Rowley, L.H. and Moody, C.D. Dilute aqueous formaldehyde oxidation with hypochlorous acid 91(1993)199

Musatti, M., see Zannoni, R. 82(1991)351

N

Nachinkin, O.I., see Leksovskaia, N.P. 86(1992)91
Nada, N., Iwahashi, H. and Umemori, F.
Test result of intermittent chlorine injection
method in Jeddah 1 plant 96(1994)283
Nadav, N., see Koren, A. 98(1994)41
Nagai, H., see Saitoh, T. 98(1994)249
Nagai, M., see Fujiwara, N. 96(1994)431
Nagai, M., see Kumano, A. 96(1994)451

Nagai, M., Iwahashi, H., Hayashi, Y. and Ogino, Y. The behavior of oxidizing/reducing agent in seawater 96(1994)291

Nagashima, S., see Nakagawa, T. 90(1993)183 Nakagawa, T., see Higuchi, A. 90(1993)127

Nakagawa, T., Nagashima, S. and Higuchi, A. Synthesis and gas transport properties of new copolymer membranes with trimethylsilyl groups 90(1993)183

Nakajima, K., see Saitoh, T. 98(1994)249 Nakamura, M., see Murase, K. 73(1989)111 Nakamura, M., see Toyama, S. 82(1991)221 Nakamura, T., see Itoh, S. 98(1994)127 Nakane, T., see Yanagishita, H. 90(1993)55

Nakao, S-I., see Tsuru, T.T. 81(1991)219

Narayana, A., see Gupsa, S.K. 86(1992)77

Narayanan, P.K., see Adhikari, S.K. 84(1991)189 Narayanan, P.K., Thampy, S.K., Dave, N.J.,

Chauhan, D.K., Makwana, B.S., Adhikari, S.K., and Indusekhar, V.K.

Performance of the first sea water electrodialysis desalination plant in India 84(1991)201

Neel, J., see Schaetzel, P. 90(1993)259

Neelakantan, P.S., see Turner, A.G. 98(1994)285 Neethling, J.B., see Cheng, R. 85(1991)33

Nefedov, O.M.

General aspects of water re-use in the USSR 81(1991)282

Negishi, Y., see Haruhiko, H. 94(1993)167 Negri, E., see Gaeta, S.N. 83(1991)383

Neplenbroek, A.M., Bargeman, D. and Smolders, C.A.

The stability of supported liquid membranes 79(1990)303

Nerell, D.C., Statton, J.A. and Borsteins, G. Baja California desalination project feasibility study report. Large scale dual purpose hybrid desalination plant 88(1992)123

Nessim, R.B., see Hamdona, S.K. 94(1993)69 Nguyen, Q.T., see Schaetzel, P. 90(1993)259

Nguyen, T.D. and Solomon, B.A.

New one-step process for preparation of microporous composite polysulfone/polyurethane hollow fiber membranes 90(1993)3 Nijhawan, R.K., see Al-Owais, A.A. 73(1989)327

Nikitin, Ju.G., see Rifert, V.G. 74(1989)363

Nilsson, J.L., see Persson, K.M. 80(1991)123

Ninic, N., Novakovic, M., Dimitrijevic, S. and Savovic, S.

Desalination with a reversible flashing process 89(1993)263

Nishino, J., see Muramoto, S. 98(1994)207

Nita, K., Numata, K., Gotoh, S. and Matsui, Y. Application of chlorine–resistant polyamide RO membrane with a hollow fiber configuration 96(1994)33

Nomani, A.A., see Mayankutty, P.C. 97(1994)401 Nomani, A.A., see Mayankutty, P.C. 74(1989)243

Nooijen, W.F.J.M. and Wouters, J.W.

Optimizing and planning of seawater desalination 89(1992)1

Norbeta de Pinho, M., see Afonso, M.D. 85(1991)53

Nordstrom, J. and Olsson, J.

Stainless steel for high pressure piping in SWRO plants. Are there any options? 97(1994)213

Noshita, M.

Reverse osmosis seawater desalination for power plant 96(1994)259

Novakovic, M., see Ninic, N. 89(1993)263

Nozoye, H., see Yanagishita, H. 90(1993)55

Numata, K., see Fujiwara, N. 96(1994)431

Numata, K., see Kumano, A. 96(1994)451

Numata, K., see Nita, K. 96(1994)33

Numata, K., see Tanaka, S. 96(1994)191

Nusrat Saeed, M.

Fuel efficiencies, allocation of fuels and fuel costs for power and desalination in dual purpose plants: a novel methodology 85(1992)213

Nyström, M.

Concentration by U.F. of hazardous effluents extracted into emulsions from water solutions; examples with aniline and azobenzene 81(1991)117

O

O'Donnell, J., see Rachwal, A.J. 97(1994)427

Oba, O., see Okada, T. 98(1994)335

Obermeyer, H.D., Julovik, U. and Kessler, H.G. Controlled deposit formation to influence the retention of solutes in reverse osmosis and ultrafiltration 90(1993)161

Obermoller, H.R., see White, D.A. 84(1991)177

Ogasawara, H., see Murata, M. 98(1994)217 Ogino, Y., see Fujiwara, N. 96(1994)431

Ogino, Y., see Pujiwara, N. 96(1994)431 Ogino, Y., see Nagai, M. 96(1994)291

Ohkuma, N., see Murata, M. 98(1994)217

Ohkuma, N., Ohnishi, M. and Okuno, Y.
Waste water recycling technology using a rotary disk module 98(1994)49

Ohnishi, M., see Ohkuma, N. 98(1994)49

Ohta, K., see Okabe, T. 93(1993)235

Ohta, K., Hayano, I., Okabe, T., Goto, T., Kimura, S. and Ohya, H. Membrane distillation with fluoro-carbon membranes 81(1991)107

Ohta, K., Kikuchi, K., Hayano, T., Okabe, T., Goto, T., Kimura, S. and Ohya, H. Experiments on sea water desalination by membranes distillation 78(1990)177

Ohya, H., see Ohta, K. 78(1990)177

Ohya, H., see Zhou, J. 80(1991)15

Ohya, H.

State of the art ultrapure water production in Japan 80(1991)159

Ohya, H., see Ohta, K. 81(1991)107

Oikawa, E., Hibi, K., Sakazume, N., Endo, H., Honda, T. and Aoki, T. Synthesis of poly(2,5-pyridinedicarboxylic acidalt-hydrazine) and reverse osmosis performance of its membranes 94(1993)25

Oikawa, E., Shingai, M., Motomi, K. and Aoki, T. Pervaporation separation of water-ethanol mixture through the membrane of poly(thioether-amide)s prepared from aromatic amide and 1,4-benzenedithiol 101(1995)69

Oinuma, N., Sawada, S. and Yabe, K. New pretreatment systems using membrane separation technology 98(1994)59

Okabe, T., see Ohta, K. 78(1990)177

Okabe, T., see Ohta, K. 81(1991)107

Okabe, T., Hirai, M., Ohta, K., Ishii, T. and Goto, T.

Preliminary experiment on seawater pretreatment with UF membranes for RO desalination 93(1993)235

Okada, T. and Oba, O.

Recycling of waste water from buildings by application of membrane 98(1994)335

Oklejas, E., see Lozier, J. 75(1989)71

Oklejas, E., see Silbernagel, M. 88(1992)311

Oklejas, E., Jr.

The hydrolic turbochargerTM for interstage feed pressure boosting. Impact on membrane performance 88(1992)289

Okuno, Y., see Ohkuma, N. 98(1994)49

Oldfield, J.W. and Kain, R.M.

Economic material selection for reverse osmosis desalination plants 84(1991)227

Olivieri, A.W., see Thompson, K. 88(1992)201

Olsson, J., see Nordstrom, J. 97(1994)213

Olsson, J. and Erbing, M.L.

Experiences with a highly alloyed stainless steel in desalination plants and other Arabian Gulf industrial plants 73(1989)267

Olsson, J.O. and Groth, H.L.

Evaporators made of solid duplex staintess steel. A new approach to reduce costs 97(1994)67

Ophir, A.

Low temperature, multi-effect distillation (LT-MED) for cogeneration yielding the most efficient sea water desalination system 84(1991)85

Ophir, A. and Gendel, A.

Adaptation of the Multi-Effect Distillation (MED) process to yield high purity distillate for utilities, refineries and chemical industry 98(1994)383

Oren, Y. and Egozy, Y.

Studies on polarity reversal with continuous deionization 86(1992)155

Orlov, N.S., Kuznetsova, I.K. and Borodkin, A.G. Comparison of different channel constructions and their efficiency in membrane cells 84(1991)213

Ortiz, R.S., see Fuqua, T.M. 88(1992)243 Oshiyama, M., see Kashida, K. 97(1994)147 Oshiyama, M., see Kohsaka, K. 73(1989)429 Osman, H., Sultan, A.H., Radif, A. and Aziz, S.A. Large pumps in power and desalination plants 93(1993)181

Ossiff, J.

Emerging legal issues in siting desalisation facilities in California 87(1992)1

Oswald, W.J.

Use of wastewater effluent in agriculture 72(1989)67

Otani, Y., see Shindo, N. 98(1994)155

Otten, Z.E.H., see Van Boxtel, A.J.B. 90(1993)363

P

Palecek, S.P., Mochizuki, S. and Zydney, A.L. Effect of ionic environment on BSA filtration and the properties of BSA deposits 90(1993)147

Pansini, M. and Colella, C.

Dynamic data on lead uptake from water by chabazite 78(1990)287

Pansini, M., Colella, C. and de Gennaro, M. Chromium removal from water by ion exchange using zeolite 83(1991)145

Pantano, G., see Calabro, V. 78(1990)257

Papafotiou, K., Assimacopoulos, D. and Marinos-Kouris D.

A knowledge-based system for the design of reverse osmosis desalination plants 82(1991)131

Pareek, N.K., Aboudher, A., Hassan Beck, H.M. and Elgarni, M.M. Operating experience of MSF desalination plant

at the Abu Kammash Chemical Complex 73(1989)417

Parker, J.M. and Ribbins, P.D.

Privatization of government system 97(1994)313

Patra, R.N., see Prabhakar, S. 73(1989)37

Paul, D., see Smith, B.E. 78(1990)99

Paulson, D.J., see Rudie, B.J. 90(1993)107

Pavlova, St., and Prodanova, St.

Reducing the amount of microorganisms in the water for membrane demineralisation 91(1993)115

Peinemann, K.-V., see Fritsch, D. 90(1993)235

Pellufo, P., see Borsani, R. 96(1994)325 Peluffo, P., see Sommariva, C. 97(1994)53 Pepper, D.

RO for improved products in the food and chemical industries and water treatment 77(1990)55

Peres Castillo, J., see Veza, J.M. 85(1992)147 Perlman, J.L., see Sulpizio, T.E. 74(1989)187

Perry, M. and Linder, C.

Intermediate reverse osmosis ultrafiltration (RO UF) membranes for concentration and desalting of low molecular weight organic solutes 71(1989)233

Persson, K.M. and Nilsson, J.L. Fouling resistance models in MF and UF 80(1991)123

Pervov, A.G.

Scale formation prognosis and cleaning procedure schedules in reverse osmosis systems operation 83(1991)77

Peters, T.A.

Desalination and industrial waste water treatment with the ROCHEM Disc Tube Module (DT) 83(1991)159

Petkov, N., see Mavrov, V. 85(1992)335 Petrocchi, E., see Gaeta, S.N. 83(1991)383 Petrova, I., see Mavrov, V. 83(1991)289 Pettegrew, L., see Thompson, K. 88(1992)201 Pibouleau, L., see Floquet, P. 92(1993)1 Pillay, V.L., Brouckaert, C.J., Buckley, C.A.

and Raal, J.D.

Predicted performance profiles along a long-tube cross-flow microfiltration system 71(1989)247

Pingel, H., see Boddeker, K.W. 90(1993)249 Pitakowski, D.W. see Yeh, G.C. 81(1991)129 Plate, N.A.

Research in membrane technology for desalination and water re-use in the USSR 81(1991)281

Pleass, C.M., see Hick., D.C. 73(1989)81 Pleass, C.M., see Hick., D.C. 73(1989)95 Podberesny, V.A., see Rifert, V.G. 81(1991)367 Podbereznji, V.L., see Barinov, V.V. 88(1992)179 Podbereznyi, V.L., see Ilyushchenko, V.V.

Podbereznyi, V.L., see Ilyushchenko, V.V. 74(1989)383

Podbereznyi, V.L., see Ilyushchenko, V.V. 74(1989)391

Podbereznyi, V.L., see Linnikov, O.D. 74(1989)355 Podbereznyi, V.L., see Linnikov, O.D. 82(1991)359

Podbereznyi, V.L., see Linnikov, O.D.89(1993)311

Podbereznyi, V.L., see Rifert, V.G. 74(1989)363

Podbereznyi, V.L., see Rifert, V.G. 74(1989)373

Podbereznyi, V.L., see Vasjukov, V.I. 89(1992)21 Podbereznyi, V.L., Smirnov, Ju.K., and

Putilin, Ju.V.

Some aspects of the development and operation of the desalination installations with horizontal-tube thin-film evaporators 73(1989)447

Podesta, S., see Husain, A. 92(1993)43

Pohland, H.W., Hamida, A.B. and Chida, K.
Reliable supply of drinking water through use of high performance B-10 TWIN permeators. A one year case history at Das Island, UAE 96(1994)303

Polyanskaya, N.B., see Dytnersky, Yu.I. 81(1991)273

Pontek, R., see Miller, G.A. 87(1992)249 Potts, J.E.

A proposal to organize membrane treatment capital costs 88(1992)321

Pourcelly, G., see Raucq, D. 91(1993)163

Pourcelly, G., Boudet-Dumy, M., Lindheimer, A. and Gavash, C.

Transport of proton in polymeric ionic exchange membranes in relation with the dissociated sorbed acid 80(1991)193

Prabhakar, S., see Tewari, P. 79(1990)85

Prabhakar, S., Patra, R.N., Misra, B.M. and Ramani, M.P.S.

Management and feasibility of reverse osmosis schemes for rural water supply in India 73(1989)37

Praptowidodo, V.S., see Radiman, C.L. 93(1993)273

Price, K., see Hightower, S. 99(1994)201

Price, M.K., see Bagwell Jr., T.H. 99(1994)195

Pritchard, C.L., see Crerar, A.J. 81(1991)391

Prodanova, St., see Pavlova, St. 91(1993)115

Puchen, Y., see Jihua, H. 83(1991)361

Pujadas, F. see Fukumoto, Y. 83(1991)65

Pung, L.S., see Hsiue, G.H. 71(1989)35

Pusch, W.

Comparison of transport of alkali-halides and nitrates across asymmetric cellulose acetate and polyamide, composite poly (etherurea), and cation exchange membranes 83(1991)261

Pusch, W.

Performance of RO membranes in correlation with membrane structure, transport mechanisms of matter and module design (fouling) 77(1990)35

Pusch, W., see Mavrov, V. 91(1993)225

Pusch, W., Yu, Y.-L. and Zheng, L.-Y.

Solute-solute and solute-membrane interactions in hyperfiltration of binary and ternary aqueous organic feed solutions 75(1989)3

Puskas, K. and Esen, I.

Possibilities of utilizing municipal and industrial wastewater effluents to condition soil 72(1989)125

Putilin, Ju.V., see Podbereznyi, V.L. 73(1989)447 Putilin, Ju.V., see Rifert, V.G. 74(1989)363 Pyne, R.D.G., see Buros, O.K. 98(1994)437

O

Qamhiyeh, A., see El-Nashar, A. 79(1990)65 Qamhiyeh, A.A., see El-Nashar, A.M. 82(1991)165 Qamhiyeh, A.A., see El-Nashar, A.M. 93(1993)323 Qashu, H.K.

The desalination choice: Planned water and power security or decisions by calamity? 99(1994)211 Qing, C., see Ai-lian, L. 101(1995)51 Qingshuang, Z., see Jihua, H. 83(1991)361 Quick, R., see Harlow, H.W. 87(1992)193

R

Raal, J.D., see Pillay, V.L. 71(1989)247 Rachwal, A.J., Khow, J., Colbourne, J.S. and O'Donnell, J.

Water treatment for public supply in the 1990's – a role for membrane technology? 97(1994)427 Racz, I.G., see Futsellar, H. 90(1993)345 Radif, A., see Hassan, A. 84(1991)251 Radif, A., see Osman, H. 93(1993)181

Radiman, C.L., Sangkanparan, H., Praptowidodo, V.S. and Liang, O.B.

Preparation of asymmetric membranes for desalination, clarification of turbid water and biotechnological down-stream processing 93(1993)273

Raghupathi, C.N. and Swaminathan, T.

Desalination in India – experience and future prospects 98(1994)495

Raghuraman, L.

Membrane material for brackish water application for utilities – an evalution 91(1993)155

Rahbar, M.T.

Improve the design and operation of desalination plants by computer modelling and simulation 92(1993)253

Rahman, A., see McGlone, K.J. 96(1994)397 Ramachandhran, V., see Ramani, M.P.S. 90(1993)31

Ramani, M., see Tewari, P. 79(1990)85 Ramani, M.P.S., see Prabhakar, S. 73(1989)37

Ramani, M.P.S., see Sadhukhan, H.K. 96(1994)249 Ramani, M.P.S., see Tewaki, P.K. 73(1989)359

Ramani, M.P.S., see Tewari, P.K. 95(1994)299

Ramani, M.P.S. and Ramachandhran, V.
Synthesis and study of RO performance or aromatic polyamide hydrazida membranes

matic polyamide hydrazide membranes 90(1993)31

Rangarajan, R., Desai, N.V., Mody, R.C., Mohan,D. and Rao, A.V.Development of a fabric reinforced polysulfone

membranes 85(1991)81 Rao, A.V., see Joshi, S.E. 78(1990)355

Rao, A.V., see Rangarajan, R. 85(1991)81

Rao, B.D. see Malik A.J. A. 75(1980)3/

Rao, B.J.R., see Malik, A.L.A. 75(1989)341 Rao, G.B., see Rao, N.S. 78(1990)429

Rao, G.P., see Al-Gobaisi, D.M.K. 97(1994)469 Rao, G.P.

Unity of control and identification in multistage flash desalination processes 92(1993)103

Rao, G.P., Al-Gobaisi, D.M.K., Hassan, A., Kurdali, A., Borsani, R. and Aziz, M.
Towards improved automation for desalination processes. Part II: Intelligent control 97(1994)507

Rao, K.V.G., see Rao, N.S. 78(1990)429 Rao, N.S., Rao, T.N.V.V., Rao, G.B. and Rao, K.V.G.

Impact of reject water from the desalination plant on ground water quality 78(1990)429

Rao, T.N.V.V., see Rao, N.S. 78(1990)429

Rapp, H.J., see Strathmann, H. 90(1993)303

Ratigan, B.J. see Yeh, G.C. 81(1991)129

Raucq, D., Pourcelly, G. and Gavash, C. Production of sulfuric acid and caustic soda from sodium sulphate by electromembrane processes. Comparison between electroelectrodialysis and electrodialyse on bipolar membrane 91(1993)163

Rautenbach, R. Progress in distillation 93(1993)1

Rautenbach, R., see Tusel, G.F., 96(1994)379 Rautenbach, R. and Gebel, J.

On the concentration of RO-brines by seeded horizontal tube falling film evaporation (HTFE) 76(1989)107

Rautenbach, R. and Groschl, A.
Fractionation of aqueous organic mixtures by reverse osmosis 90(1993)93

Rautenbach, R. and Groschl, A.
Separation potential of nanofiltration membranes 77(1990)73

Rautenbach, R. and Habbe, R. Seeding technique for "zero-discharge" processes, adaption to electrodialysis 84(1991)153

Rautenbach, R. and Mellis, R. Hybrid processes involving membranes for the treatment of highly organic/inorganic contaminated waste water 101(1995)105

Rautenbach, R. and Mellis, R.
Waste water treatment by a combination of bioreactor and nanofiltration 95(1994)171

Rautenbach, R. and Meyer–Blumenroth, U.
Module and process design for vapor permeation
77(1990)295

Rautenbach, R. and Welsch, K.

Treatment of landfill gas by gas permeation –
pilot plant results and comparison to alternatives
90(1993)193

Rautenbach, R., Erdmann, C. and Kollbach, J.St. The fluidized bed technique in the evaporation of wastewaters with severe fouling/scaling potential. Latest development, applications, limitations 81(1991)285

Rautenbach, R., Kopp, W. and Herion, C. Electrodialysis-contact sludge reactor and reverse osmosis-phase separator, two examples of a simple process combination for increasing the water recovery rate of membrane processes 72(1989)339

Ray, M., see Harlow, H.W. 87(1992)193 Reahl, E.R.

Reclaiming reverse osmosis blowdown with electrodialysis reversal 78(1990)77

Rebagliati, S., Ghiazza, E. and Abueida, K.S. One year operational experience on the process control system at UANE MSF Desalination Plant 75(1989)149

Reda, M.R. and Alhajii, J.N.
A comparative study of common metals scavenging efficiency for aqueous sulfide or sulfite pollutants in salt solution 94(1993)273

Redondo, J.A. and Frank, K.F.
Sea water applications with FilmTech reverse osmosis membranes from small to large plants in 10 years 82(1991)31

Reith, T., see Futsellar, H. 90(1993)345 Reitz, R.L., see Graham, S.I. 74(1989)113 Resini, I., see Zannoni, R. 82(1991)351 Rhodes, H.L., see Smith, B.E. 78(1990)99

Ribbins, P.D., see Parker, J.M. 97(1994)313 Ricard, A., see Baudin, I. 86(1991)237

Rider, W.J., see Hammond, R.P. 99(1994)459

Ridgway, H.F.
Bacteria and membranes: ending a bad relationship 83(1991)53

Riesmeier, B., Kroner, K.H. and Kula, M.R. Harvest of microbial suspensions by microfiltration 77(1990)219

Rifert, V.G., Barabash, P.A., Goliyad, N.N. and Kurilova, E.B. Stand-alone thermal desalination plants 96(1994)183

Rifert, V.G., Podbereznyi, V.L., Putilin, Ju.V., Nikitin, Ju.G. and Barabash, P.A. Heat transfert in film-type evaporator with profiled tubes 74(1989)363 Rifert, V.G., Sardak, A.I., Grigorenko, S.V. and Podbereznyi, V.L.

Heat exchange at dropwise condensation in heat exchangers of desalination plants 74(1989)373

Rifert, V.G., Sardak, A.I., Trokoz, Ya.E. and Podberesny, V.A.

Heat exchange intensification at condensation inside tubes of film-type evaporators of desalination installations 81(1991)367

Rimawi, M.A., Ettouney, H.M. and Alv. G.S. Transient model of multistage flash desalination 74(1989)327

Ritz, D.B. see Yeh, G.C. 81(1991)129

Robinson, R., Ho, G. and Mathew, K. Development of a reliable low cost reverse osmosis desalination unit for remote communities 86(1992)9

Rodina, I.V., see Linnikov, O.D. 82(1991)359 Rohr, M. and Wimmerstedt, R.

A comparison of two commercial membranes used for biogas upgrading 77(1990)331

Romanenko, Yu. K., see Dytnersky, Yu.I. 81(1991)265

Romijn, D.J., see Brink, L.E.S. 78(1990)209 Rose, G.D., see Forgach, D.J. 80(1991)275

Rosen, A.M., see Iljushchenko, V.V. 81(1991)383

Ross, G.S., see Rudie, B.J. 90(1993)107 Rowley, L.H.

A screening study of biocides for potential use with cellulose acetate reverse osmosis membranes 88(1992)71

Rowley, L.H.

Eleven biocides are investigated for microbial efficacy and membrane compatibility to use at the Yuma Desalting Plant 97(1994)35

Rowley, L.H., see Murphy, A.P. 91(1993)199 Ruban I.G., see Leksovskaia, N.P. 86(1992)91 Rudie, B.J., Ross, G.S., Harrold, S.J. and

Paulson, D.J.

Practical characterization of NF/UF membranes 90(1993)107

Saavedra, A., Bertoni, G., Fajner, D. and Sarti, G.C. Reverse osmosis treatment of process water streams 82(1991)267

Saavedra, E.R.

Graphic evolution of the 24,000 hours (3 years) operating data of a RO brackish water desalination plant, in Las Palmas, Canary Islands, Spain 76(1989)15

Saber, T.M.H. and El Warraki, A.A. Electrochemical and spectroscopic study on dezincification of a- brass Part II. Effect of polarization on the dezincification process 93(1993)473

Saber, T.M.H. and Salem, A.H. Inhibition of the corrosion of steel pipes carrying potable water. II. Optimization of Ca,+ and HCO₃ content in the presence of phosphate inhibitors 93(1993)461

Sadhukhan, H.K., Ramani, M.P.S., Misra, B.M., Verma, R.K.and Hanra, M.S. Role of evaporative and membrane desalination technology in solving drinking water problem in India 96(1994)249

Sadler, L.Y. and George, O. Concentration of saline produced water from coalbed methane gas wells in a multiple-effect evaporator using waste heat from the gas compressor and compressor drive engine 101(1995)169

Saeed, M.N.

Fuel economics: A comparative study of dualpurpose power and desalination plants in the WED grid based on a constant heat value of water

93(1993)409 Safi, M.J., see Chaibi, M.T. 82(1991)197

Said, M.S., see Al-Radif, A. 84(1991)45 Said, M.S., see Al-Sum, E.A. 97(1994)109 Said, M.S., see Hassan, A. 84(1991)251

Saitoh, T., Nagai, H., Imai, M., Nakajima, K. and Tuiimura, M.

Simultaneous removal of DO and TOC in ultrapure water by using UV rays 98(1994)249

Sakazume, N., see Oikawa, E. 94(1993)25

Salem, A.H., see Saber, T.M.H. 93(1993)461

Salem, K., Sandeaux, J., Molena, J., Sandeaux, R. and Gavach, C.

Elimination of nitrate from drinking water by electrochemical membrane processes 101(1995)123

Salevan, J. F., see Hick., D.C. 73(1989)81

Sambrailo, D., see Kastelan-Kunst, L. 83(1991)331 Sambrailo, D. and Kunst, B.

Technoeconomic considerations in reverse osmosis concentration of seawater 81(1991)209

Sanchez, J.M. and Garcia, J.M.

Experiments on the design, installation and operation in the desalination plant by O.I.–INALSA I 82(1991)119

Sandeaux, J., see Salem, K. 101(1995)123

Sandeaux, R., see Salem, K. 101(1995)123

Sanderson, R.D., see Hurndall, M.J. 86(1992)135

Sanderson, R.D., see Hurndall, M.J. 89(1992)203

Sanderson, R.D., see Hurndall, M.J. 90(1993)41

Sanderson, R.D., see Immelman, E. 94(1993)115

Sanderson, R.D., see Immelman, E. 94(1993)37

Sanderson, R. D., see Van Reenen, A.J. 72(1989)319

Sanderson, R. D., see Van Reenen, A.J. 72(1989)329

Sanderson, R.D., see Van Reenen, A.J. 85(1992)247

Sanderson, R.D., see Van Reenen, A.J. 85(1992)263

Sanderson, R.D., Immelman, E., Bezuidenhout, D., Jacobs, E.P. and Van Reenen, A.J.

Polyvinyl alcohol and modified polyvinyl alcohol reverse osmosis membranes 90(1993)15

Sang Yong Lee. see Kwang Won Seul 85(1992)161 Sangkanparan, H., see Radiman, C.L. 93(1993)273

Sara, M., see Kupcu, S.S. 90(1993)65

Sardak, A.I., see Rifert, V.G. 74(1989)373

Sardak, A.I., see Rifert, V.G. 81(1991)367

Sarfraz Khan, M., see El-Nashar, A. 85(1991)93

Saricimen, H., Shamin, M., Allam, I.M. and Maslehuddin, M.

Performance of austenitic stainless steels in MSF desalination plant flash chambers in the Arabian Gulf 78(1990)327

Sarikaya, H.Z., see AbuRizaiza, O.S. 98(1994)173

Sarti, G.C., see Bandini, S. 81(1991)91

Sarti, G.C., see Saavedra, A. 82(1991)267

Sasaki, T., see Kurihana, M. 96(1994)133

Sato, H., see Kondo, M. 98(1994)147

Sato, M., see Yanagi, C. 98(1994)161

Satoh, H.

Hydrogen absorption and its prevention of titanium in a simulated descaling environment in a desalination plant 97(1994)45

Satre, M.D. and Ghatge, N.D.

Aromatic polyamide-hydrazides for water desalination. II. Reverse osmosis membrane performance of terpolymers 91(1993)121

Sattar, A., see Al-Gobaisi, D.M.K. 97(1994)469

Sattar, A., see El-Sum, E.A. 92(1993)309

Savovic, S., see Ninic, N. 89(1993)263

Savvides, L.

Agricultural achievements and irrigation management in Kuwait 72(1989)207

Sawada, S., see Ishiguro, K. 98(1994)119

Sawada, S., see Oinuma, N. 98(1994)59

Scenna, N.J., see Montagna, J.M. 81(1991)437

Scenna, N.J. and Aguirre, P.

Optimal thermodynamic synthesis of dualpurpose desalination plants. Extration vs. back pressure turbines 81(1991)419

Schaetzel, P., Favre, E., Nguyen, Q.T. and Neel, J. Mass transfer analysis of pervaporation through an ion exchange membrane 90(1993)259

Scharfe, J., see Gregorzewski, A. 82(1991)145

Schelkes K., see Bender, H. 72(1989)161

Schirg, P. and Widmer, F.

Characterisation of nanofiltration membranes for the separation of aqueous dye-salt solutions 89(1992)89

Schleicher, R.W., see Labar, M.P. 88(1992)267

Schmidt, S.T., see Yeh, G.C. 81(1991)161

Schneider, W., see Kamal, I. 76(1989)323

Schofield, R.W., Fane, A.G., Fell, C.J.D. and Macoun, R.

Factors affecting flux in membrane distillation 77(1990)279

Schwab, C., Kulozik, U. and Kessler, H.G. Effect of structure controlled deposited layers on the retention of flavour compounds in reverse osmosis 90(1993)173

Schwartzkopf, S., see Tleimat, B. 87(1992)97

Scott, R.F., see Hammond, R.P. 99(1994)459

Seach, L.A., VanWagoner, W.T. and Spacht, J.M. Future reclaimed water use in the Northeast San Fernando Valley 88(1992)225

Sedahmed, G.H., see El-Shal, W. 99(1994)149

Seifer, A., see Genthner, K. 93(1993)207 Seifer, A. and Genthner, K. A.

Model for stagewise calculation of noncondensable gases in multi stage evaporators 81(1991)333

Seifert, A., see Genthner, K. 81(1991)349 Sekino, M., see Fujiwara, N. 96(1994)441 Sekino, M., see Tanaka, S. 96(1994)191

Selvaraj, R., Deshpande, P.B., Tambe, S.S. and Kulkarni, B.D.

Neural networks for the identification of MSF desalination plants 101(1995)185

Sephton, H.H., see Hammond, R.P. 87(1992)69 Sephton, H.H., see Hammond, R.P. 99(1994)459 Seul, K. and Lee, S.

Numerical Predictions of evaporative behaviors of horizontal stream inside a multi-stage-flash distillator 79(1990)13

Severona, T.A., see Lebedeva, O.H. 73(1989)457

Shaban, H., see Al-Enezi, G.A. 95(1994)1 Shah, B.G., see Indusekhar, V.K. 84(1991)213

Shalewitz, B., see Bagwell Jr., T.H. 99(1994)409

Shamin, M., see Saricimen, H. 78(1990)327

Shams El Din, A.M.

Copper alloys for desalination plants 93(1993)499

Shams El Din, A.M.

Effect of residual and minor constituents on the corrosion behaviour of some technically important alloys 93(1993)487

Shams El Din, A.M. and Mohammed, R.A. Brine and scale chemistry in MSF distillers 99(1994)73

Shams El Din, A.M. and Mohammed, R.A.

The problem of alkaline scale formation from a study on Arabian Gulf water 71(1989)313

Shams El Din, A.M., Arain, R.A. and Hammoud, A.A. A contribution to the problem of trihalomethane

A contribution to the problem of trihalomethane formation from the Arabian Gulf water 85(1991)13

Shams El Din, A.M., Aziz, S. and Makkawi, B. Electricity and water production in the Emirate of Abu Dhabi and its impact on the environment 97(1994)373

Shams El Din, A.S. and Tag El Din, A.M.K. Electrochemical monitoring of the process of boiler cleaning 75(1989)171

Shang, L. and Spencer, H.G.

Selective separation of proteins by microfiltration with formed-in-place membranes 90(1993)137

Sharma, S.K., see Singh, D. 73(1989)191 Sheng, J.

Separation of dichlorethane—trichloroethylene mixtures by means of a membrane pervaporation process 80(1991)85

Sheng, J. and Lefebvre, M.S.
Diluted brine concentration process using membrane pervaporation technique: laboratory scale studies 91(1993)253

Sheng, J. and Mora, J.C.
Pervaporation and dehydration of water-ethanol mixtures by means of cuprophan hollow fiber membranes 80(1991)71

Sheng, J., Johnson, R.A. and Lefebvre, M.S.

Mass and heat transfert mechanisms in the osmotic distillation process 80(1991)113

Sheng Ling-Ying, see Hou Tai-Ping 83(1991)343 Sheppard, G.

Disaster (hurricane) preparedness. Public (water) utility 98(1994)479

Shi-Yao, B., see Al-Lian, L. 86(1992)291 Shichang, W., see Kejun, X. 97(1994)159

Shieh, M.C., see Hsiue, G.-H. 71(1989)35 Shields, C.P., see Eckman, T.J. 96(1994)11

Shimizu, I., see Fujioka, Y. 73(1989)371

Shimron, Z.

Economics of brackish and desalination water reuse for irrigation 98(1994)471

Shindo, N., Otani, Y., Inoue, G. and Kawazoe, K. Water treatment by pitch-based activated carbon fiber 98(1994)155

Shingai, M., see Oikawa, E. 101(1995)69

Shinoda, M., see Yamauchi, A. 71(1989)277

Shinoda, M., see Yamauchi, A. 80(1991)61

Shipilov, V.Yu., see Vasjukov, V.I. 89(1992)21

Shirahama, E. and Kiyozuka, M. Golf course construction plans and water quality

preservation 98(1994)505

Shtim, A., see Slesarenko, V. 71(1989)203 Siddiki, N.A., see Malik, A.U. 97(1994)189

Siddiqui, M.A., see Tare, M.M. 81(1991)57

Sienkiewich, A.

Financing groundwater desalination in Southern California 87(1992)175

Sikora, J., Hansson, C.H. and Ericsson, B. Pre-treatment and desalination of mines drainage water in a pilot plant 75(1989)363

Silbernagel, M., see Lozier, J. 75(1989)71
Silbernagel, M. Kuepper, T. and Okleias, F.

Silbernagel, M., Kuepper, T. and Oklejas, E. Evaluation of a pressure boosting pump/turbine device for reverse osmosis energy recovery: Extended testing on a seawater desalination system 88(1992)311

Simandl, J., see Banat, F.A. 95(1994)39

Simoncelli, C., see Gusmano, G. 74(1989)259

imons, R.

Development of an acid impermeable anion exchange membrane 78(1990)297

Simons, R.

Trace element removal from ash dam waters by nanofiltration and diffusion dialysis 89(1993)325

Sims, G.V. and Kamal, I.

Retrofitting and repowering of coastal power stations to augment water supplies in Southern California 94(1993)251

Singh, A., see Singh, K. 101(1995)115

Singh, A.K., see Tiwari, G.N. 82(1991)223

Singh, D. and Sharma, S.K.

Performance ratio, area economy and economic returns for an integrated solar energy/multi-stage flash desalination plan 73(1989)191

Singh, D.P., see Chakravorty, B. 78(1990)279

Singh, K. and Singh, A.

Electrodriven solute transport studies on an impregnated zirconium phosphate membrane 101(1995)115

Singh, R

Characteristics of a chlorine-resistant reverse osmosis membrane 95(1994)27

Sivakov, A.V., see Agashichev, S.P. 93(1993)245 Sivik, B., see Zhang, W. 72(1989)263 Sivik, B., Wahlgren, M. and Miezis, Y.

A rheological screening method for membrane modifying polymers 77(1990)181

Sizmann, R., see Baumgartner, T. 81(1991)299

Skehan, S.T., see Muniz, A. 78(1990)41

Slater, C.S. and Hollein, H.C. Educational initiatives in teaching membrane technology 90(1993)291

Slesarenko, V.

Characteristic features of the desalination plants with thin film heat exchangers 74(1989)305

Slesarenko, V.

Characteristics of thin film desalination plants 94(1993)321

Slesarenko, V.

Sea water desalination in thin plants 81(1991)407

Slesarenko, V.

Seawater desalination in thin film plants 96(1994)173

Slesarenko, V. and Shtim, A.

Determination of seawater enthalpy and entropy during the calculation of thermal desalination plants 71(1989)203

Sleytr, U.B., see Kupcu, S.S. 90(1993)65

Smirnov, Ju.K., see Podbereznyi, V.L. 73(1989)447 Smith, B.E.

Desalting and groundwater management in the San Joaquin Valley, California 87(1992)15

Smith, B.E.

The use of solar ponds in the disposal of desalting concentrate 78(1990)59

Smith, B.E., Paul, D., Colon, W.J., Rhodes, H.L., Watson, B.M., Harlow, W., Leahy III, T.M. Where do we go from here? A roundtable discussion 78(1990)99

Smith, G., see Lozier, J.C. 88(1992)3

Smith, I., see Ahlgren, R.M. 73(1989)247

Smith, N.C.

Developing and financing new water facilities: alternatives for desalination and reclamation plants 87(1992)85

Smith, S., see Finan, M.A. 73(1989)341

Smolders, C.A., see Neplenbroek, A.M. 79(1990)303

Smolders, C.A., see Van den Berg, G.B. 77(1990)101

Smolders, K. and Franken, A.C.M. Terminology for membrane distillation 72(1989)249

Soda, M., see Fujioka, Y. 73(1989)371

Soliman, M.A., see Al-Mutaz, I.S. 74(1989)317

Soliman, M.A., see Al-Mutaz, I.S. 76(1989)177

Soliman, M.A., see Al-Mutaz, I.S. 83(1991)373

Soliman, M.A., see Al-Mutaz, I.S. 84(1991)103

Soliman, M.A., see Al-Mutaz, I.S. 84(1991)104

Soliman, M.A., see Al-Zahrani, A.E.S. 75(1989)15

Solomon, B.A., see Nguyen, T.D. 90(1993)3

Solomon, R.L., see Masarczyk, J. 75(1989)259

Solt, G.S., see Feron, P. 84(1991)137

Solt, G.S., see Wen, T. 101(1995)79

Sommariva, C., see Husain, A. 92(1993)21

Sommariva, C., Borsani, R. and Tasca, A.

Distillation purity from MSF: the theoretical design and a real case behavior 81(1991)309

Sommariva, C., Borsani, R., Peluffo, P., Mollica, A. and Wrubl, C.

Titanium exchange tubes for MSF desalination plant. A study on the aspects relevant to the adoption of this material 97(1994)53

Song-Chun, F., see Al-Lian, L. 86(1992)291

Soo-Hoo, R., see Awerbuch, L. 76(1989)189

Sorensen, T.S., Jensen, J.B. and Malmgren-Hansen, B.

Electromotive force and impedance studies of cellulose acetate membranes: evidence for two binding sites for divalent cations and for an alveolar structure of the skin layer 80(1991)293

Sorour, M.H., Abulnour, A.G. and Talaat, H.A. Desalination of agricultural drainage water 86(1992)63

Souma, S., see Al-Zahrani, H. 84(1991)349

Sourirajan, S., see Liu, T. 85(1991)1

Sourirajan, S., see Wang, Y. 95(1994)155

Spacht, J.M., see Seach, L.A. 88(1992)225

Spencer, H., see Yarlagadda, S. 79(1990)37

Spencer, H.G., see Menon, K.S. 80(1991)31

Spencer, H.G., see Shang, L. 90(1993)137

Spencer, H.G., see Szaniawska, D. 101(1995)31

Spencer, H.G., see Szaniawska, D. 95(1994)121

Spencer, J., see Dickson, J.M. 89(1992)63

Spencer, J., see Dickson, J.M. 99(1994)1

Spurr, D.J.

Reverse Osmosis in United Kingdom municipal: Applications 82(1991)385

Sridhar, S.

Desalination and recovery of catalysts by electrodialysis 79(1990)233

St. Pavlova, see Dobrevsky, Iv. 86(1992)43

Standiford, F.C., see Hammond, R.P. 99(1994)459

Staples, D., see Hick., D.C. 73(1989)95

Staples, M.A.

How to promote water reclamation and reuse through the California water rights system 88(1992)189

Statton, J.A., see Nerell, D.C. 88 (1992) 123

Staude, E., see Duputell, D. 95(1994)75

Staude, E., see Yaroshchuk, A. 86(19921)115

Stenstrom, M.K., see Cheng, R. 85(1991)33

Strathmann, H., see Bauer, B. 79(1990)125

Strathmann, H., see Gudernatsch, W. 79(1990)249

Strathmann, H., see Kimmerle, K. 79(1990)283

Strathmann, H., Bell, C.M. and Kerres, J. Gas separation and pervaporation: Membrane and module development 77(1990)259

Strathmann, H., Rapp, H.J., Bauer, B. and Bell, C.-M.

Theoretical and practical aspects of preparing bipolar membranes 90(1993)303

Striez, C., see Tweddle, T.A. 86(1992)27

Striez, C.N., see Dal-Cin, M.M. 101(1995)155 Stroh, N., see McDonogh, R.M. 79(1990)217

Stuart, J., Bryant, T., Fergus, I. and Gabrielli, E. Review of initial three years operation of waste water management scheme at 4640MW Bayswater/Liddel Power Station Complex, Australia 75(1989)379

Styczynski, T.E., see Tleimat, B. 87(1992)97 Subba Rao, G.V.

Reverse osmosis membrane research facility at Bharat Heavy Electricals and its application for desalination in India 83(1991)385

Sudjito, see Hogan, P.A. 81(1991)81

Suemoto, S.H., see 96(1994)39

Suemoto, S.H., Haugseth, L.A. and Moody, C.D.
Research experiences from operational difficulties—Yuma Desalting Plant, U.S.A. 96(1994)43
Suizo, S., see Iso, S. 97(1994)389

Sulpizio, T.E., Light, W.G. and Perlman, J.L. Economic and technical factors affecting seawater reverse osmosis process design 74(1989)187

Sultan, A.H., see Osman, H. 93(1993)181

Sultan, H., see Al-Radif, A. 97(1994)3

Sultan, H., see Husain, A. 97(1994)555

Sumberova, V., see Bleha, M. 86(19921)173

Sun, Y.F., see Wen, T. 101(1995)79

Surel, O. and Famelart, M.H.

Microfiltration of long chain carboxylates: relationship between rejection and micellization 95(1994)11

Suri, R.K., Al-Marafie, A.M.R., Al-Homoud, A.A. and Maheshwari, G.P.

Cost-effectiveness of solar water production 71(1989)165

Suwandi, M.S.

Determination of optimized membrane area from long-term flux decline data 90(1993)379

Suzuki, A., see Itoh, S. 98(1994)127

Suzuki, K., see Kashida, K. 97(1994)147

Swaminathan, T., see Gurumoorthy, K. 98(1994)303

Swaminathan, T., see Raghupathi, C.N. 98(1994)495

Swanback, S., see Townley, J.A. 88(1992)341

Swanback, S., see Townley, J.A. 88(1992)341 Szaniawska, D. and Spencer, H.G.

Non-equilibrium thermodynamic analysis of the transport properties of formed-in-place zirco-nium(IV)hydrous oxide-polyacrylate membranes in lactose-water solutions 95(1994)121

Szaniawska, D. and Spencer, H.G. Non-equilibrium thermodynamic analysis of the transport properties of formed-in-place Zr(IV) hydrous oxide-PAA membranes. II. Nacl-water solutions 101(1995)31

T

Tadros, S.

Desalination plant integration with cogeneration systems for EOR/commercial/industrial applications 87(1992)137 Tag El Din, A.M.K., see Shams El Din, A.S. 75(1989)171

Takahara, Y., see Yanagi, C. 98(1994)161

Takahashi, H., see Futakawa, M. 98(1994)345

Takeuchi, K., see Futamura, O. 98(1994)17

Talaat, H.A., see Sorour, M.H. 86(1992)63 Talankin, V.S., see Linnikov, O.D. 74(1989)355

Talati, S.N.

Evaluation of reverse osmosis and evaporative desalination systems under feedwater supply constraints typical in arid countries 97(1994)353

Tallman, C.P. Sr.

Method for extending heat exchanger and condenser life 73(1989)231

Tam, C.M., see Tweddle, T.A. 86(1992)27

Tam, C.M. and Tremblay, A.Y.

Membranes as fractals, implications and concequences 90(1993)77

Tam, C.M., Tweddle, T.A., Kutowy, I. and Hazlett, J.D.

Polysulfone membranes. II. Performance comparison of polysulfone–poly(N–vinyl–pyrrolidone) membranes 89(1993)275

Tambe, S.S., see Selvaraj, R. 101(1995)185

Tamminen, E., see El-Maghary, Y. 92(1993)149 Tamura, M.

New water distillation system incorporating a membrane mist seperator 80(1991)105

Tanaka, S., Numata, K., Kusumoto, H. and Sekino, M.

New desinfection method on RO seawater desalination systems 96(1994)191

Tanaka, Y., see Kiriyama, K. 98(1994)199

Taniyama, T., see Ayyash, Y. 96(1994)215

Tao, C-H., see Ali, G. 76(1989)27

Tare, M.M., Gada, M.K., Siddiqui, M.A. and Mehta, M.H.

Economics of desalination in water resourse management—A comparison of alternative water resources for arid/semi arid zones in developing countries 81(1991)57

Tarleton, E.S., see Wakeman R.J. 83(1991)35

Tasaka, K., Katsura, T., Iwahori, H. and

Kamiyama, Y.

Analysis of RO elements operated at more than 80 plants in Japan 96(1994)259

Tasca, A., see Sommariva, C. 81(1991)309 Tay, J.H., see Low, S.C. 81(1991)321

Ten Eyck, J.R., see Whitney, D.C. 87(1992)281

Terranova, V., see Zannoni, R. 82(1991)337 Tewaki, P.K., Hanra, M.S., Verma, R.K. and

Ramani, M.P.S.
Studies on MSF desalination –process design, construction and startup of a prototype MSF plant in India 73(1989)359

Tewari, P.K., Verma, R.K. and Ramani, M.P.S.
Pressurized heavy water reactor desalination in the Indian context 95(1994)299

Tewari, P., Prabhakar, S. and Ramani, M.
Evaluation of thermal desalination and reverse
osmosis for the production of boiler feed water
from sea water for coastal thermal power stations
in India 79(1990)85

Thampy, S.K., see Adhikari, S.K. 84(1991)189 Thampy, S.K., see Narayanan, P.K. 84(1991)201 Thankachan, T.S., see Mayan Kutty, P.C. 97(1994)401

Thankachan, T.S., see Mayankutty, P.C. 74(1989)243

Thomas, J.C.

Advanced water treatment (AWT) facility at Madras Refineries Ltd., Madras-sewage water reused 98(1994)295

Thomas, K.S., see Bruno-Vega, A. 98(1994)443 Thomassen, J.R., see Madsen, R.F. 83(1991)123

Thompson, K., Cooper, R.C., Olivieri, A.W., Eisenberg, D., Pettegrew, L. and Danielson, R.E. City of San Diego potable reuse of reclaimed water: final results 88(1992)201

Thompson, M.A.

Virginia's first municipal reverse osmosis facility 87(1992)181

Ting-Chia Huang and Jau-Kai Wang
Preferential transport of nickel and cupric ions
through cation exchange membrane in electrodialysis with a complex agent 86(1992)257

Tipnis, U.K., see Adhikary, S.K. 71(1989)301 Tishchenko, G., see Bleha, M. 86(1992)173 Tiwari, G.N.

Feasibility study of solar distillation plants in South Pacific countries 82(1991)233

Tiwari, G.N. and Lawrence, S.A.

Thermal evaluation of high temperature distillation under an active mode of operation

85(1991)135

Tiwari, G.N. and Singh, A.K.
Thermal efficiency of double slope FRP solar distiller: An analytical and experimental study 82(1991)223

Tleimat, B. and Tleimat, M.
A novel 2500 GPD 5-effects wiped-film rotating-disk vapor-compression module: preliminary results 74(1989)289

Tleimat, B. and Tleimat, M.

Development in saline water distillation technology 93(1993)15

Tleimat, B., Tleimat, M., Friedman, M.A., Styczynski, T.E. and Schwartzkopf, S. The use of vapor compression distillation for recycling gray water as an early application in the antartic planetary analog 87(1992)97

Tleimat, M., see Tleimat, B. 74(1989)289

Tleimat, M., see Tleimat, B. 87(1992)97

Tleimat, M., see Tleimat, B. 93(1993)15

Tomaschke, I., see Ikeda, K. 96(1994)113

Townley, J.A., Swanback, S. and Andres, D. Recharging a potable water supply aquifer with reclaimed wastewater in Cambria, California 88(1992)341

Toyama, S., see Hassan, M.S. 71(1989)347

Toyama, S., Murase ,K., Kimura, S. and Nakamura, M.

Surface evaporation of liquid flowing down an inclined groove 82(1991)221

Toyoma, S., see Murase, K. 73(1989)111 Trägårdh, G., see Dutre, B. 95(1994)227 Trägårdh, G.

Membrane cleaning 71(1989)325

Trägårdh, G., see Jönsson, A.S. 77(1990)135 Trägårdh, G., see Marshall, A.D. 91(1993)65

Travesta, E., see Gusmano, G. 74(1989)259

Tremblay, A.Y., see Tam, C.M. 90(1993)77 Trivedi, G.S., see Indusekhar, V.K. 84(1991)213

Trokoz, Ya.E., see Rifert, V.G. 81(1991)367

Tsugaya, H., see Tsuyumoto, M. 80(1991)139

Tsuru, T.T., Urairi, M.,Nakao, S.-I. and Kimura, S. Negative rejection of anions in the loose reverse osmosis separation of mono- and divalent ions mixtures 81(1991)219

Tsuyumoto, M., Karakane, H., Maeda, Y. and Tsugaya, H.

Development of polyion complex hollow fiber membrane for separation of water-ethanol mixtures 80(1991)139

Tujimura, M., see Saitoh, T. 98(1994)249

Turek, M., Mrowiec-Bialon, J. and Gnot, W. Utilization of coal mine brines in the chlorine production process 101(1995)57

Turner. A.G., see Darton. E.G. 82(1991)51

Turner, A.G., Neelakantan, P.S. and Gajendra, N. A novel new water source for Madras Fertilisers 98(1994)285

Tusel, G.F., see Aboughalya, E-D 81(1991)505

Tusel, G.F., see Kamal, I. 76(1989)323

Tusel, G.F., Rautenbach, R. and Widua, J. Seawater desalination plant "Sirte" – an example for an advanced MSF design 96(1994)379

Tweddle, T.A., see Dal-Cin, M.M. 101(1995)155

Tweddle, T.A., see Tam, C.M. 89(1993)275

Tweddle, T.A., Striez, C., Tam, C.M. and Hazlett, J.D.

Polysulfone membranes. I. Performance comparison of commercially available ultrafiltration membranes 86(1992)27

IJ

Udagawa, T.

Water recycling systems in Tokyo 98(1994)309 Uemura, T., see Ikeda, T. 98(1994)391 Uemura, T., see Kurihana, M. 96(1994)133 Umemori, F., see Nada, N. 96(1994)283 Uragami, T.

Separation of aqueous organic liquid solutions through polymer membranes 90(1993)325 Urairi, M., see Tsuru, T.T. 81(1991)219

V

Van der Mast, V. see Awerbuch, L. 76(1989)189Vaid, A., Kopp, C., Johnson, W. and Fane, A.G.Integrated waste water treatment by coupled bioreactor and membrane system 83(1991)137

Vaidya, A.N., see Bal, A.S. 83(1991)325

Valota M.N., see Gusmano, G. 74(1989)259

Van Boxtel, A.J.B. and Otten, Z.E.H.

New strategies for economic optimal membrane fouling control based on dynamic optimization 90(1993)363

Van den Berg, G.B. and Smolders, C.A. Flux decline in ultrafiltration processes 77(1990)101

Van Den Berkomortel, H.A. and Graveland, A. Potable water quality improvement for the city of Amsterdam 98(1994)83

Van den Ende, S., see Dotremont, C. 95(1994)91 Van Der Horst (Ede), H.C. and Hanemaaijer, J.H.

(Zeist)
Cross-flow microfiltration in the food industry.
State of the art 77(1990)235

Van Der Mast, V., see Muhurji, M. 76(1989)75

Van Dijk, J.C., Munneke, B.R., Kramer, B. and Wouters, J.W.

Membrane filtration: a realistic option in the field of water supply? 81(1991)229

Van Reenen, A.J., see Hurndall, M.J. 89(1992)203 Van Reenen, A.J., see Hurndall, M.J. 90(1993)41

van Reenen, A.J., see Immelman, E. 94(1993)115

van Reenen, A.J., see Immelman, E. 94(1993)37

Van Reenen, A.J., see Sanderson, R.D. 90(1993)15 Van Reenen, A.J. and Sanderson, R. D.

Dynamically formed hydrous zirconium (IV) oxide—polyelectrolyte membranes. V. Non—homogeneous poly (acrylic acid—covinyl alcohol) membranes: rejection and flux properties and the treatment of coal gasification waste water 72(1989)319

Van Reenen, A.J. and Sanderson, R.D.

Dynamically formed hydrous zirconium (IV)
oxide- polyelectrolyte membranes. VI. Effect of
copolymer composition on the stability of
poly(acrylic acid-covinyl acetate) and poly

(acrylic acid-covinyl alcohol) membranes 72(1989)329

Van Reenen, A.J. and Sanderson, R.D.

Dynamically formed hydrous zirconium (IV)
Oxide-polyelectrolyte membranes. VII.
Poly(acrylic acid-co-vinyl acetate) and
poly(acrylic acid-co-vinyl alcohol) membranes:
The effect of feed salt concentration on membrane
properties 85(1992)247

Van Reenen, A.J., Jacob, E.P. and Sanderson, R.D. Dynamically formed hydrous zirconium (IV) Oxide-polyelectrolyte membranes. VIII. Alternative substrate materials for dynamic membranes 85(1992)263

Vandecasteele, C., see Dotremont, C. 91(1993)177 Vandecasteele, C., see Dotremont, C. 95(1994)91 Vandommele, H., see Dotremont, C. 95(1994)91

VanWagoner, W.T., see Seach, L.A. 88(1992)225 Vasina, L.G., see Martynova, O.I. 71(1989)337

Vasina, L.G., see Martynova, O.I. 83(1991)55

Vasjukov, V.I., Klyikov, D.M., Podbereznyi, V.L. and Shipilov, V.Yu.

Floating nuclear desalination plant AFWS-40 89(1992)21

Velicogna, D., see Volchek, K. 89(1993)247 Velikova, S. see Mavrov, V. 83(1991)279

Velikova, S., Dave, A.M., Mavrov, V. and Mehta, M.H.

Comparative evaluation of industrial membranes: correlation between transport and operational para-meters 94(1993)1

Velikova, S., Mavrov, V. and Marinov, M. Characterization of the reverse osmosis membranes CA80 and CA 95 by transport coefficients 91(1993)293

Verma, R.K., see Sadhukhan, H.K. 96(1994)249 Verma, R.K., see Tewaki, P.K. 73(1989)359 Verma, R.K., see Tewari, P.K. 95(1994)299 Veza, J.M.

Mechanical vapour compression desalination plants— A case study 101(1995)1

Veza, J.M., Gomez Gotor, A. and Peres Castillo, J. Desalination Technology in the Canary Islands 85(1992)147

Vial, D., see Madsen, R.F. 83(1991)123

Vickers, G.W., see Wild, P.M. 89(1992)33 Vigneswaran, S., see Visvanathan, C. 71(1989)265

Visvanathan, C., Ben Aim, R. and Vigneswaran, S. Application of cross-flow electro-microfiltration in chromium wastewater 71(1989)265

Volchek, K.A., see Dytnersky, Yu.I. 81(1991)273

Volchek, K., Keller, L., Velicogna, D. and Whittaker, H.

Selective removal of metal ions from ground water by polymeric binding and microfiltration 89(1993)247

Volfi, D., see Korngold, E. 84(1991)123

W

Wade, N.M.

Likelihood of significant cost reductions in desalination 78(1990)147

Wade, N.M.

Technical and economic evaluation of distillation and reverse osmosis desalination processes 93(1993)343

Wade, N.M.

The effect of the recent energy cost increase on the relative water costs from reverse osmosis and distillation plant 81(1991)3

Wade, P., see Wong, P. 98(1994)225

Waes, G., see Doyen, W. 79(1990)163

Wahhab, M.A., see Hassan, M.S. 71(1989)347

Wahlgren, M., see Sivik, B. 77(1990)181

Wahlgren, M., see Zhang, W. 72(1989)263

Wakeman R.J. and Tarleton, E.S.

Colloidal fouling of microfiltration membranes during the treatment of aqueous feed streams 83(1991)35

Walker, C.W., see Missimer, T.M. 87(1992)269

Walters, A., see Labar, M.P. 88(1992)267

Walton, N.G.R.

Reverse osmosis pretreatment – injecting a little chemical control and management 82(1991)281

Walton, N.R.G.

Electrical conductivity and total dissolved solids – what is their precise relationship? 72(1989)275

Wang, D., Dong, D., Zheng, W., Zhang, D. and Wang, L.

The 200 MW nuclear heating reactor and its possible application in seawater desalination 99(1994)367

Wang, L., see Wang, D. 99(1994)367

Wang, Liancheng, see Chen, Jiayan. 86(1992)301 Wang, S.

Studies on economic property of pretreatment process of brackish water using electrocoagulation (EC) method 82(1991)365

Wang, Y., Lau, W.W.Y. and Sourirajan, S. Effects of pretreatments on morphology and performance of cellulose acetate (formamide type) membranes 95(1994)155

Wangnick, K.

1990 Worldwide desalting plants inventory - the development of the desalination market 81(1991)19

Wangnick, K., see Aboughalya, E.D. 81(1991)505 Wangnick, K., see Fosselard, G. 76(1989)215 Watson, B.

Considerations in assessing for rehabilitation of damaged 20 mgd Shuwaikh 'D' plants Kuwait 88(1992)145

Watson, B.M.

High recovery reverse osmosis 78(1990)91

Watson, B.M., see Colon, W.J. 78(1990)157

Watson, B.M., see Hornburg, C.D. 92(1993)333

Watson, B.M., see Smith, B.E. 78(1990)99

Watson, B.M. and Hornburg, C.D.

Low-energy membrane nanofiltration for removal of color, organics and hardness from drinking water supplies 72(1989)11

Watson, B., Marks, G., Gabbrielli, E. and Chapple, L.

Design and operation of a 5 ml/RO desalination plant in arid Australia 96(1994)369

Watson, I., see Lange, P.H. 76(1989)39

Watson, I.C.

Characterization of desalting concentrates 78(1990)5

Watson, I.C., see Lewis, J.W. 87(1992)229 Watson, I.C., see Mills Jr., W.R. 98(1994)265

Waypa, J.J., see Elimelech, M. 95(1994)269

Weekes, M.C., see Awerbuch, L. 78(1990)71

Wehner, M.

A research and demonstration project permit under the new California groundwater recharge regulations 87(1992)37

Wei, X., see Changluo, Z. 71(1989)1 Weida, J.

A new type of electrodialyser 96(1994)127

Welsch, K., see Rautenbach, R. 90(1993)193

Wen, T., Solt, G.S. and Sun, Y.F.

Spirally wound electrodialysis (SpED) modules 101(1995)79

Wenchang, J., see Changluo, Z. 71(1989)1

Wentong, W., see Jihua, H. 83(1991)361

Werner, U., see Zhang, H. 79(1990)271

Wheelwright, S., see Mavrov, V. 91(1993)225

Whitacker, G., see Dickson, J.M. 99(1994)1

White, D.A., Labayru, R., Obermoller, H.R. and Deryde, X.

The application of inorganic membranes to electrodialysis processes 84(1991)177

Whitney, D.C. and Ten Eyck, J.R.

Progressive coastal community implements both desalination and reuse in a comprehensive water resource program 87(1992)281

Whittaker, H., see Volchek, K. 89(1993)247

Widmer, F., see Schirg, P., 89(1992)89

Widua, J., see Tusel, G.F., 96(1994)379

Wie, J.M., see Khawaji, A.D. 98(1994)135

Wilcock, J.D. and Finan, M.A.

Ensuring the safety of additives used in desalination plants to produce potable water: the role of independent approval agencies and comprehensive toxicological and ecotoxical product profiles 97(1994)443

Wild, P.M. and Vickers, G.W.

The technical and economic benefits of centrifugal reverse osmosis desalination 89(1992)33

Wilf, M., see Kremen, S. 82(1991)15

Wilf, M. and Klinko, K.

Performance of commercial seawater membranes 96(1994)465

Wimmerstedt, R., see Linde, K. 101(1995)21

Wimmerstedt, R., see Rohr, M. 77(1990)331

Winnicki, T., see Majewska-Nowak, K.

71(1989)127

Winnicki, T., see Majewska-Nowak, K. 78(1990)417

Winnicki, T., see Majewska–Nowak, K. 89(1992)47 Winnicki, T., see Wisniewska, G. 91(1993)307 Winniki, T., see Grabska–Winnicka, D.

83(1991)243

Winniki, T., see Wisniewska, G. 84(1991)163 Winters H., see Applegate, L.E. 74(1989)51

Winters, H.

Three-year experience of a sea water RO plant operating at a conversion greater than 50% in the Cayman Islands 74(1989)183

Wisniewska, G. and Winniki, T.
Electrodialytic desalination of effluents from zinc-coating processes: Removal of Zn2+ and Cl- ions from model solutions 84(1991)163

Wisniewska, G., Wisniewski, J. and Winnicki, T. Recovery of acid and water by membrane dialysis 91(1993)307

Wisniewski, J., see Majewska-Nowak, K. 71(1989)127

Wisniewski, J., see Majewska-Nowak, K. 78(1990)417

Wisniewski, J., see Majewska-Nowak, K. 89(1992)47

Wisniewski, J., see Wisniewska, G. 91(1993)307 Woldai, A., see Al-Gobaisi, D.M.K. 97(1994)469

Woldai, A., see Husain, A. 92(1993)21

Woldai, A., see Husain, A. 97(1994)555

Woldai, A., see Kurdali, A. 92(1993)295 Wolfe, T.D., see Hamano, T. 96(1994)23

Wong, P., Docker, P., Gabbrielli, E. and Wade, P. Management and construction of a major zero discharge water supply and treatment scheme at Mount Piper Power Station—Australia 98(1994)225

Wouters, J.W., see Nooijen, W.F.J.M. 89(1992)1 Wouters, J.W., see Van Dijk, J.C. 81(1991)229

Wrubl, C., see Sommariva, C. 97(1994)53

Wu, Y., Kong, Y., Liu, J., Zhang, J. and Xu, J. An experimental study on membrane distillation crystallization for treating waste water in taurine production 80(1991)235

Wyszynski, D., see Duputell, D. 95(1994)75

\mathbf{X}

Xiu, W., see Ji, J. 85(1991)297
Xu, J., see Wu, Y. 80(1991)235
Xu, S., see Liu, T. 85(1991)1
Xueren, L., see Congjie, G. 83(1991)271
Xueren, L. and Congjie, G.
Research on polyethersulfone, poly arylsulfone and polyetheretherketone with cardo membranes 96(1994)155

Y

Yabe, K., see Oinuma, N. 98(1994)59 Yacoub, S., see Buros, O.K. 73(1989)47 Yaday, Y.P.

Performance analysis of a solar still coupled to a heat exchanger 82(1991)244

Yadav, Y.P.

Performance analysis of a still coupled to a heat exchanger 91(1993)135

Yadav, Y.P.

Transient analysis of double-basin solar still integrated with collector 71(1989)151

Yadav, Y.P.

Transient performance of a high temperature solar distillation system 82(1991)243

Yadav, Y.P. Transient performance of a high temperature solar still distillation 91(1993)145

Yamada, T., see Ayyash, Y. 96(1994)215

Yamamoto, M., see Kashida, K. 97(1994)147

Yamamoto, M., see Kohsaka, K. 73(1989)429

Yamasaki, K., see Harada, Y. 98(1994)27

Yamauchi, A., Hirata, Y. and Shinoda, M.
Relation between transport number and concentration of Donnan salt in membranes 80(1991)61

Yamauchi, A., Shinoda, M. and Hirata, Y.

Membrane phenomena of an amphoteric membrane in mixed electrolyte solution 71(1989)277

Yanaga, Y., see Ayyash, Y. 96(1994)215

Yanaga, Y., see Fujiwara, N. 96(1994)441

Yanagi, C., Sato, M. and Takahara, Y.

Treatment of wheat strach waste water by a
membrane combined two phase methane fermentation system 98(1994)161

Yanagishita, H., Nozoye, H. and Nakane, T. Preparation of 6FDA-based polyimide composite membranes by CVDP process 90(1993)55

Yaozhong, Y., see Kejun, X. 97(1994)159

Yarlagadda, S. and Spencer, H.

Hyperfiltration properties of Zirconium (IV) hydrous oxide-polyacrylate membrane in electrolyte-alcohol-water solutions 79(1990)37

Yaroshchuk, A. and Staude, E.

Charged membranes for low pressure reverse osmosis properties and applications 86(1992)115

Yeh, B.V., see Yeh, G.C. 81(1991)129

Yeh, B.V., see Yeh, G.C. 81(1991)161

Yeh, G.C., Yeh, B.V., Ratigan, B.J., Correnti, S.J., Yeh, M.S., Pitakowski, D.W., Fleming, W., Ritz, D.B. and Lariviere, J.A. Separation of liquid mixtures by capillary distillation 81(1991)129

Yeh, G.C., Yeh, B.V., Schmidt, S.T., Yeh, M.S., McCarthy, A.M. and Celenza, W.J. Vapor-liquid equilibrium in cappilary distillation 81(1991)161

Yeh, M.S. see Yeh, G.C. 81(1991)129 Yeh, M.S., see Yeh, G.C. 81(1991)161 Yi-Ming, C., see Yu-Rong, L. 96(1994)145

Yiming, C., see Yurong, L. 83(1991)375 Yokomiso, T.

Ultrafiltration membrane technology for regeneration of building wastewater for reuse 98(1994)319

Yokoyama, S., see Itoh, S. 98(1994)127 Yong-Zhuang, Z., see Al-Lian, L. 86(1992)291 Yoshioka, T., see Masahiro, H. 91(1993)319 Younan, N.G., see Malik, A.L.A. 75(1989)341

Younis, M.A., Darwish, M.A. and Juwayel, F. Experimental and theoretical study of a humidification-dehumidification desalting system 94(1993)11

Yu, B. and Li, Q.

Removal of chlorine from dilute salt aqueous solution with a flat microporous membrane 90(1993)335

Yu, Y.-L., see Pusch, W. 75(1989)3

Yu-Rong, L., Yi-Ming, C., Li-Ning, W. and Dong-Sheng, C.

A study of the modified reinforced polysulfone membrane and its pilot scale-up 96(1994)145

Yurong, L., Yiming, C., Lining, W. and Jianhua, J. Study of stevioside preparation by membrane separation process 83(1991)375

Yushina, Y. and Hasegawa, J.

Process performance comparison of membrane introduced anaerobic digestion using food industry waste water 98(1994)413

Z

Zagouras, N.G., see Caouris, Y.G. 71(1989)177 Zagouras, N.G. and Kantsos, E.T.

Engineering relations for economic production functions of solar low-temperature multi-effect desalination 78(1990)381

Zaki, G M., see Madani, A A. 73(1989)167 Zama, M., see Fujioka, Y. 73(1989)371

Zannoni, R., Bonacini, A., Micale, G., Boari, G., Terranova, V. and Guidice Sea water desulphation pretreatment for a

Sea water desulphation pretreatment for a 14400cu.m/day MSF desalination unit at Gela petrochemical plant 82(1991)337

Zannoni, R., Bonacini, A., Musatti, M. and Resini, I. Limestone hardening system for Brindisi's power

station: First limestone recarbonation unit installed in Italy for industrial water production 82(1991)351

Zarza, E., see Gregorzewski, A. 82(1991)145

Zhang, D., see Liu, T. 85(1991)1

Zhang, D., see Wang, D. 99(1994)367 Zhang, H., see Gaeta, S.N. 80(1991)181

Zhang, H. and Werner, U.

Characterization of surface change properties of synthetic microfiltration membranes by means of a streaming current method 79(1990)271

Zhang, J., see Wu, Y. 80(1991)235

Zhang, S.Q., see Fouda, A.E. 90(1993)209

Zhang, S.Q., Fouda, A.E., Matsuura, T. and Chan, K.

Some experimental results and design calculations for reverse osmosis concentration of green tea juice 80(1991)211

Zhang, W. and Hallstrom, B.

Membrane characterization using the contact angle technique. I. Methodology of the captive bubble technique 79(1990)1

Zhang, W., Wahlgren, M. and Sivik, B.

Membrane characterization by the contact angle technique. II. characterization of UF membranes and comparison between the captive bubble and sessile drop as methods to obtain water contact angles 72(1989) 263

Zhao, Q., see Hao, J. 98(1994)353 Zheng, L.-Y., see Pusch, W. 75(1989)3 Zheng, W., see Wang, D. 99(1994)367 Zhengyu, Zhu., see Chen, Jiayan. 86(1992)301

Zhiguo, B., see Congjie, G. 83(1991)271

Zhou, J., Ohya, H. and Matsumoto, K. Several engineering equations in the design of reverse osmosis plants 80(1991)15

Zhu, B. and Cheng, P.

The industrial application of UF membranes 90(1993)119

Zimerman, Z.

Development of large capacity high efficiency mechanical vapor compression (MVC) units 96(1994)51

Zimmerman, Z.

The water factory 88(1992)371 Zoontjes, R.J.C., see Futsellar, H. 90(1993)345 Zydney, A.L., see Palecek, S.P. 90(1993)147